Trulife

Hospital Equipment

Corporate Profile

Trulife is a pre-eminent global manufacturer of orthopaedic & physical rehabilitation products for orthopaedic, podiatric, orthotic and therapy professionals.

The core philosophy is a belief in serving customer's needs through excellence in product innovation, quality in everything we do, offering extensive education & training and developing patient care through committed and dedicated people.

This catalogue brings together the Trulife range with the former Progressive Surgical Ltd. product portfolios and offers a comprehensive range of innovative products designed & developed to cater for an evolving market and built on years of experience in the Operating Theatre, Sterile Services and Critical Care environments.

Trulife has a fully equipped workshop with trained personnel to service all products sold by the company. Minor repairs are carried out on-site to ensure a speedy and efficient service with minimum disruption to the hospital. We offer a range of service contract options to suit your requirements including servicing of hospital beds, patient trolleys and operating tables.

Trulife Ireland
3013 Lake Drive, Citywest Business Campus, Dublin 24, Ireland

Telephone Orders: +353 1 4511 755
Fax Orders: +353 1 4660 015
Email: info@trulife.com

www.trulife.com

Trulife

Table of Contents

Section 1: General
Pressurecare 2
Pressurecare Accessories 6
Patient Warming System 7
Trolley Systems 8
Operating Table....12
Multi Function Chair....13
Positioning Devices....14
Storage for Positioning Devices 38
Suction Systems....40
Stainless Steel Furniture 44
Tourniquet Systems 48
Consumables....50

Section 2: Sterile Services
Heat Sealers & Accessories....52
Trays, Baskets, Racks & Storage Units 56
Pre-Cleaning Stations & Sink Units 74
Packing Tables....75
Transport Trolleys....76
Shelving & Cabinet Systems 77
Open & Closed Transport Units....78
Consumables....82

Section 3: X-Ray Protection
X-Ray Aprons....86
X-Ray Storage 88
X-Ray Eye Protection 89

Section 4: Storage & Logistics
Modular Baskets & Accessories 90
MPO2 Mobile Care & Organization Cabinet....93
Functional Trolleys 96
Functional Cabinets 97
Modular Room Systems....98

Section 5: Index
Index by Name....100

Section 6: Terms and Conditions
Terms and Conditions....104

Trulife



Supine Position

Includes Trendelenburg and Reverse Trendelenburg

The patient is on their back with face toward ceiling, legs are uncrossed and arms are at the side or on arm boards.

- Administration of General Anaesthesia
- Abdominal Surgery
- Open Heart Surgery
- Surgery on Face, Neck or Mouth
- Most Surgery on Extremities

Head and Neck

No.	Model No.	Item
2	AZ100	Azure Head Protector
-	EL011 / 12	Oasis Elite Closed Head Rings
1	OA010 / 11 / 12	Oasis Closed Head Rings
6	EL151 / 52	Oasis Elite Supine Head Rest
-	OA140	Oasis Face Pad

Arm and Elbow

No.	Model No.	Item
3	AZ200 / 201	Azure Arm Protectors
-	EL070 / 72 / 101 / 102	Oasis Elite Armboard Pads
-	OA101/ 070/ 071/ 072/ 073	Oasis Armboard Pads
-	OA060/ 061/ 062	Oasis Ulnar / Brachial Protector
-	OA100 / 102	Oasis Arm Retainer Pad

Body

No.	Model No.	Item
-	AZ610 /11	Azure Profile Pads
-	EL030 /31	Oasis Elite Table Pads
-	OA030 /31/32/33/35/36/37/38/39/40	Oasis Table Pads
-	AZ600/01	Azure Table Pads
-	OA041 /42	Oasis Profile Pads
-	AZ300 /301	Azure Sacral Protector
-	AZ500	Azure Universal Positioner
-	EL210	Oasis Elite Dome Positioner
-	OA050 /51/52/53	Oasis Patient Positioners
-	OA110	Oasis Positioning Belt
-	OA113	Oasis Extremity Belt
-	OA180	Perineal Post Pad

Leg and Knee

No.	Model No.	Item
-	AZ400	Azure Leg Protector

Ankle, Heel and Foot

No.	Model No.	Item
4	AZ401	Azure Heel Protector
5	EL130 / OA130	Oasis Elite Heel Pads
-	OA131	Oasis Heel Cups
-	OA200	Oasis Heel & Ankle Protector
-	EL214 / 215 / 216 / 217 / 218	Oasis Elite Chest Rolls
-	OA211 / 12 / 13	Oasis Chest Rolls

Please refer to Trulife's Pressurecare catalogue for comprehensive details of this range.

Trulife

Prone Position

Includes Kraske (Jack Knife) Position

The patient is on their abdomen and arms are at sides or on arm boards.

- Surgeries to the neck, spine and back of the legs

Head and Neck

No.	Model No.	Item
-	EL021 / 22	Oasis Elite Open Head Rings
7	OA020 / 21 / 22	Oasis Open Head Rings
8	EL141 / 142	Oasis Elite Prone Headrest

Arm and Elbow

No.	Model No.	Item
-	AZ200 / 201	Azure Arm Protectors
10	EL070 / 72 / 101 / 102	Oasis Elite Armboard Pads
-	OA101/ 070/ 071/ 072/ 073	Oasis Armboard Pads
-	OA060 / 061	Oasis Ulnar / Brachial Protector

Body

No.	Model No.	Item
-	AZ610 /11	Azure Profile Pads
-	EL030 /31	Oasis Elite Table Pads
-	OA030 /31/32/33/35/36/37/38/39/40	Oasis Table Pads
-	AZ600/01	Azure Table Pads
-	OA041 /42	Oasis Profile Pads
11	EL905	Oasis Elite Prone Positioning System
-	EL903	Oasis Elite Prone Positioner
-	AZ500	Azure Universal Positioner
-	EL214 /215/216/217/218	Oasis Elite Chest Rolls
-	OA208/ 209/ 210/211/212/213	Oasis Chest Rolls
9	EL210	Oasis Elite Dome Positioner
-	OA050 /51/52/53	Oasis Patient Positioners
-	OA113	Oasis Extremity Belt
13	EL904	Oasis Elite Large Prone Positioner

Leg and Knee

No.	Model No.	Item
-	EL401 / 02	Oasis Elite Knee Pad

Ankle, Heel and Foot

No.	Model No.	Item
-	EL210	Oasis Elite Dome Positioner

Speciality Pad

No.	Model No.	Item
12	OA120	Oasis Relton Frame Pads
-	OA221	Oasis Wilson Frame Pads



Please refer to Trulife's Pressurecare catalogue for comprehensive details of this range.

Trulife



Lateral Position

The patient is on their side, bottom leg is flexed and the top leg is straight. Bottom arm is on arm board and top arm is on special arm support.

- Surgery of the Chest or Lungs
- Surgery on the Kidney
- Hip Surgery

Head and Neck

No.	Model No.	Item
-	AZ100	Azure Head Protector
-	EL011 / 12	Oasis Elite Closed Head Rings
14	OA010 / 11 / 12	Oasis Closed Head Rings

Arm and Elbow

No.	Model No.	Item
-	AZ200 / 201	Azure Arm Protectors
18+25	EL070 / 72 / 101 / 102	Oasis Elite Armboard Pads
-	OA101/ 070/ 071/ 072/ 073	Oasis Armboard Pads
20+24	OA060/ 061/ 062	Oasis Ulnar / Brachial Protector

Body

No.	Model No.	Item
-	AZ610 /11	Azure Profile Pads
-	EL030 /31	Oasis Elite Table Pads
-	AZ600/01	Azure Table Pads
22	OA030 /31/32/33/35/36/37/38/39/40	Oasis Table Pads
-	OA041 /42	Oasis Profile Pads
19+26	EL900	Oasis Elite Lateral Positioner
15	AZ500	Azure Universal Positioner
16	EL210	Oasis Elite Dome Positioner
23	OA050 /51/52/53	Oasis Patient Positioners
-	OA113	Oasis Extremity Belt
17	OA110	Oasis Positioning Belt

Ankle, Heel and Foot

No.	Model No.	Item
21	OA200	Oasis Heel & Ankle Protector
-	EL800	Oasis Elite Lateral Leg Positioner



Please refer to Trulife's Pressurecare catalogue for comprehensive details of this range.

Trulife

Lithotomy Position

The patient is on their back, legs are lifted into stirrups and arms are ususally on arm boards.

- Gynaecological Surgery
- Genitourinary (GU) Surgery

Head and Neck

No.	Model No.	Item
-	AZ100	Azure Head Protector
-	EL011 / 12	Oasis Elite Closed Head Rings
27	OA010 / 11 / 12	Oasis Closed Head Rings
-	EL151 / 52	Oasis Elite Supine Head Rest
-	OA140	Oasis Face Pad

Arm and Elbow

No.	Model No.	Item
30	AZ200 / 201	Azure Arm Protectors
-	EL070 / 72 / 101 / 102	Oasis Elite Armboard Pads
-	OA101/ 070/ 071/ 072/ 073	Oasis Armboard Pads
-	OA060/ 061/ 062	Oasis Ulnar / Brachial Protector
-	OA100 / 102	Oasis Arm Retainer Pad

Body

No.	Model No.	Item
-	AZ610 /11	Azure Profile Pads
-	EL030 /31	Oasis Elite Table Pads
-	OA030 /31/32/33/35/36/37/38/39/40	Oasis Table Pads
-	OA041 /42	Oasis Profile Pads
29	AZ300 /301	Azure Sacral Protector
-	AZ500	Azure Universal Positioner
-	EL210	Oasis Elite Dome Positioner
-	OA050 /51/52/53	Oasis Patient Positioners
-	OA113	Oasis Extremity Belt
-	OA110	Oasis Positioning Belt

Leg and Knee

No.	Model No.	Item
28	AZ410	Azure Crutch Stirrup Pad
31	OA090 / 91 / 92	Oasis Crutch Stirrup Pad

Ankle, Heel and Foot

No.	Model No.	Item
-	AZ401	Azure Heel Protector
-	EL130 / OA130	Oasis Elite Heel Pads
-	OA131	Oasis Heel Cups
32	OA200	Oasis Heel & Ankle Protector
33	OA160	Oasis Boot Stirrup Pad

Please refer to Trulife's Pressurecare catalogue for comprehensive details of this range.



Kanmed Operatherm

The new version of the Kanmed Operatherm is safe and easy to use. The flexible X-Ray translucent Heating Pad is placed in the OR- table with the Trulife Anti-Pressure Gel Pads on top. The quality and long lifetime of the Kanmed Operatherm makes it possible to warm your patients at minimum cost.

Model No.	Item	Dimensions
OP3-022	Kanmed Operatherm Control Unit -Includes Pad Hanger, Mains Cord and one Instruction manual	L: 26cm W: 16cm

Universal Warming Cabinets

The Kanmed Universal Warming Cabinet is designed to assist in the reduction of patient hypothermia and to increase the patient comfort. The Cabinet is mainly used in the operating theatre area for warming intravenous fluids, dialysis & irrigation fluids, Trulife Gel Pads and other gel positioning equipment.

*Compared to less insulated cabinets, Kanmed Cabinets may save you more than Euro 350 per year in electricity consumption.

Model No.	Item
GE-2350L	Universal Warming Cabinet, Large –168cm height excluding feet or wheels
GE-2350S	Universal Warming Cabinet, Small- 90cm height excluding feet or wheels
GE-41500	Shelf -ordered separately
GE-41600	Drawer-ordered separately

Blanket Warming Cabinets

The Kanmed Blanket Warming Cabinet is used in the pre operation and recovery area to warm blankets and other patient bedding material. Kanmed Warming Cabinet heats by circulating warm air.

Model No.	Item
GE-2380L	Blanket Warming Cabinet, Large- 168cm height excluding feet or wheels
GE-2380S	Blanket Warming Cabinet, Small- 90cm height excluding feet or wheels
GE-41580	Shelf for Blanket Warming Cabinet only
GE-41700	Wheel Kit for GE-2350L & GE-2380L - wheels add 16cm to cabinet
GE-41900	Wheel Kit for GE-2350S & GE2380S, Small Cabinet- wheels add 16cm to cabinet

Trulife

Kanmed WarmCloud

The New Generation Patient Warming System also Prevents Pressure Sores

Kanmed WarmCloud is a new, revolutionary patient warming system that allows the patient to reach normal body temperature faster than any other system.

Model No.	Item	Dimensions
OT-600-01	WarmCloud Control Unit-Includes Tubing, Hand Unit, Wheel base, Manouver strap.	
OT-600-222	Full length mattress with straps	200cm x 55cm
OT-600-211	Short mattress with straps	110cm x 50cm
OT-600-222RM	Full length reusable mattress with straps	200cm x 50cm
OT-600-211RM	Short reusable mattress with straps	110cm x 500cm

The Kanmed BabyBed

The Kanmed BabyBed provides the best care for premature and newborn babies in medium and low intensive care situations. The cosy BabyBed is developed together with neonatal nurses to guarantee a high level of ergonomics. The height of the BabyBed can be electrically adjusted and the see-through side walls are designed to fold for easy access to the baby.

- Universal size tube holder reducing amount of accessories required in the bed for ventilated babies.
- A tent protects against light, visual stimulation and cold air.
- Tilt function and foldable sides.
- An adjustable soft Baby Nest creates a feeling of protection.
- A very soft warm Water Mattress that is kept at about 37°C.
- A low voltage and safe Heating Pad that is watertight.
- A very user friendly Control Unit with alarms.
- Electrically adjustable height.
- Lockable wheels for stability.

Electrical Height Adjustment System

Model No.	Item	Bed surface size/height
BB-1	Kenmed Baby Bed - Height Adjustable	655mm x 445mm
BB-4	Kanmed Twin Baby Bed-Height Adjustable	765mm x 640mm

Includes: Electrical height adjustment, Mattress, Tent, Tent Pole, Shelf, Power Cable for Kanmed Baby Warmer, 19 cm side walls (also available with 24 cm side walls) operation manual book.

Fixed Height System

Model No.	Item	Bed surface size/height
BB-3	Kenmed Baby Bed - Fixed Height	665mm x 445mm

Includes: Manual height setting, not to be adjusted daily. Mattress, Tent, Tent Pole, Shelf, Power Cable for Kanmed Baby Warmer, 19 cm side walls, also available with 24 cm side walls.

Model No.	Item
BB-20	Foam Mattress (sold separately)
BB-21	Tent (sold separately)

Kanmed BabyWarmer

The Kanmed BabyWarmer is a very soft Water Mattress that replicates the mother's skin at 37°C and is based on the philosophy of Kangaroo Mother Care. The baby is covered depending on its needs and surrounding temperature. The optimal warming ensures growth rates in gram/day that are equal to or better than that of the best incubators.

Model No.	Item	Dimensions
BW3-001	Kanmed BabyWarmer- Includes Control Unit, Heating Pad, Water Mattress, One bottle of Anti Algae, Baby Nests (2pcs), Mains Cord	
BW-50-025	Standard Baby Nest (5 pack available)	L:65cm x W:35cm
BW-50-025 XL	Extra Large Baby Nest	L:65cm x W:35cm
BW-50-200	Disposable Baby Nest	L:65cm x W:35cm
BW-50-027	Baby Nest for Twins	L:65cm x W:55cm

Please contact your local Trulife Sales representative for a complete list of Kanmed accessories

Dimensions
L: 65 x W: 35 x H: 5 cm



Dimensions	
Overall Length	2100mm
Overall Width	770mm
Height Range of Trolley (To top mattress)	575-935mm
Weight	125kg
Maximum Patient Weight	160kg

AneticAid
The Theatre Equipment Specialists

QA4 Day Surgery Trolley System - Manual Functions

Excellent manoeuvrability and easy to use hand operated functions make the QA4 Manual trolley a cost effective option; a patient transport trolley with the features of an operating table.

- Removable Ultra Lightweight Leg Section
- Removable and Rotating Cotsides
- Push Button Release and Self Locking Controls
- 5th Wheel Steering Mechanism
- Advanced 4 Castor Braking System
- 'E' Size Oxygen Cylinder Trough (Side Loading)
- Transfusion Pole with Mounting Position
- 150mm Castors

Model No.	Item
21310	QA4 Manual
Optional Extras	
21313	QA4m Spare Transfusion Pole
21315	Sculpted Mattress for Head Support
21320	Ophthalmic Head Support
21340	Removable Shoulder Arthroscopy Backrest
21350	Padded Cotside Covers- Grey
21351	Padded Cotside Covers-Child Print
21355	Articulating Removable Leg Section
21357	Removable Leg Section c/w Full Length Side Rail
21360	K8 Pressure Mattress Complete
21370	QA4 Accessory Trolley
21371	QA4 Accessory Trolley Spare Trough
53556	CD Size Cylinder Support Bracket

Trulife

AneticAid
The Theatre Equipment Specialists

QA4 Day Surgery Trolley System - Powered Functions

With four remotely-activated powered functions, including a traversing top, the QA4 Powered trolley offer full 'C' arm coverage and superior surgical access together with a 250kg patient weight limit and exceptional stability.

- Powered Functions
- Lateral Tilt
- Head End Traverse
- Foot End Traverse
- K8 Pressure Care Mattress
- Removable Ultra Lightweight Leg Section
- Removable and Rotating Cotsides
- Push Button Release and Self Locking Controls
- 5th Wheel Steering Mechanism
- Advanced 4 Castor Braking System
- 'E' Size Oxygen Cylinder Trough (Side Loading)
- Transfusion Pole with Mounting Position
- 150mm Castors

Model No.	Item
21300	QA4 Powered
Optional Extras	
21312	QA4p Spare Transfusion Pole
21315	Sculpted Mattress for Head Support
21320	Ophthalmic Head Support
21340	Removable Shoulder Arthroscopy Backrest
21350	Padded Cotside Covers- Grey
21351	Padded Cotside Covers-Child Print
21355	Articulating Removable Leg Section
21357	Removable Leg Section c/w Full Length Side Rail
21360	K8 Pressure Mattress Complete
21370	QA4 Accessory Trolley
21371	QA4 Accessory Trolley Spare Trough
21380	Spare Powered Trolley Hand Control
21385	Spare Powered Trolley Charging Cable
53556	CD Size Cylinder Support Bracket

Dimensions	
Overall Length	2100mm
Overall Width	770mm
Height Range of Trolley (To top mattress)	605-1005mm
Weight	160kg
Maximum Patient Weight	250kg

Trulife

Dimensions	
Overall Length	2130mm
Overall Width	735mm
Height range (Non X-ray) (Excluding mattress)	475 to 775mm
Weight	118kg
Maximum patient weight (Please refer to user manual)	250kg

AneticAid
The Theatre Equipment Specialists

NEW AND IMPROVED

QA3 Variable Height Patient Trolley

The QA3 version 3.0 Variable Height Patient Trolley: ideal for patient transport, examination and intubation in theatre and clinical areas. Designed for maximum patient comfort, the trolley is supremely manoeuvrable, compact, light weight and robust.

- Hydraulic lift mechanism – exceptional low height capability
- Vertically operated cotsides – giving a virtually zero transfer gap
- Trendelenburg tilt – extremely smooth and controlled mechanism
- Latest castor technology – low rolling resistance for high manoeuvrability
- 5th wheel steering – easily guided by one person
- Pushing handles – ergonomically positioned
- Gas assisted back lift – horizontal to near vertical
- Advanced braking system – exceptionally stable platform
- Fixed transfusion pole – innovative quick release
- Cylinder trough – side loading
- K8 pressure care mattress
- Patient utility trays
- Rotating buffers – at head and foot ends
- Infection control – anti-bacterial properties and smooth moulded surfaces

Model No.	Item
21110	QA3 Variable Height Patient Trolley (Non X-ray) c/w K8 Pressure Care Mattress
Optional Extras	
21132*	200mm castor option
21135*	Reverse Trendelenburg
21145	Complete emergency Venturi suction system
21150	Foot end stop/monitor shelf
21155*	Fixed pushing handles foot end
21160	Spare transfusion pole removable
21161*	Spare transfusion pole fixed
21172	Grey cotside covers
21173	Child print cotside covers
21175*	Department identification
21185	K8 pressure care mattress

*Denotes factory fitted option – please specify at the time of ordering

Trulife

AneticAid
The Theatre Equipment Specialists

NEW AND IMPROVED

QA3 Variable Height Patient Trolley, X-Ray

A specially designed version of the QA3 for radiography in theatre and emergency departments. As standard, this version of the QA3 is equipped with a raised X-ray translucent platform which allows for the manoeuvring of X-ray cassettes along the channel.

- Hydraulic lift mechanism – exceptional low height capability
- Vertically operated cotsides – giving a virtually zero transfer gap
- Trendelenburg tilt – extremely smooth and controlled mechanism
- Latest castor technology – low rolling resistance for high manoeuvrability
- 5th wheel steering – easily guided by one person
- Pushing handles – ergonomically positioned
- Gas assisted backlift – horizontal to near vertical
- Advanced braking system – exceptionally stable platform
- Fixed transfusion pole – innovative quick release
- Cylinder trough – side loading
- K8 pressure care mattress
- Patient utility trays
- Rotating buffers – at head and foot ends
- Infection control – anti-bacterial properties and smooth moulded surfaces

Model No.	Item
21120	QA3 Variable Height Patient Trolley (with X-ray translucent platform and medirail) c/w K8 Pressure care mattress
Optional Extras	
21132*	200mm castor option
21135*	Reverse Trendelenburg
21145	Complete emergency Venturi suction system
21150	Foot end stop/monitor shelf
21155*	Fixed pushing handles foot end
21160	Spare transfusion pole removable
21161*	Spare transfusion pole fixed
21172	Grey cotside covers
21173	Child print cotside covers
21175*	Department identification
21185	K8 pressure care mattress
21195	X-ray tray
21196*	X-ray tray guides

*Denotes factory fitted option – please specify at the time of ordering

Dimensions	
Overall Length	2130mm
Overall Width	735mm
Height range (X-ray) (Excluding mattress)	520 to 820mm
Weight	118kg
Maximum patient weight (Please refer to user manual)	250kg

Optional Extras



200mm castor option

Emergency Venturi suction system

Foot end stop/monitor shelf

Trulife









Scandia Lojer Operating Table

Scandia is a modern electrohydraulic operating table with the highest functionality and versatility for universal surgical procedures. Scandia provides you with an easy-to-use, cost efficient operating room solution with a long lifetime.

Model No.	Item
SC330	Scandia for general surgery, incl. seat section, 2 x 25-section, 2 x 40-section and double articulation head rest
SC330-2	Scandia for general surgery, incl. seat section and 2 x 25-section
60300	Sliding top 300 mm, electrical
60310	Motorised driving wheel system, forward/backward drive in hand control
60305	Directional wheel system, hand control activation
60303	Stainless steel covers

Dimensions and Weight

- Overall length with head plate 2070 mm
- Width 550 mm (615 mm over the siderails)
- Patient weight capacity (SWL) – 350/280/250 kg
- Castors (double structure) Ø 125 mm
- Floor clearance 20/80 mm
- Primary voltage 230 V

Adjustment Ranges

- Height (without mattresses) 650 - 1010 mm
- Trendelenburg / Reverse trendelenburg 30°/ 30°(or 35°/ 25°)
- Lateral tilt (right/left) 17)°/ 17°
- Back section (up/down) 70°/ 35°
- Leg section (up/down) 90°/ 90°
- The Scandia Operating Table 330 complies with the following standards: IEC 60601-1, IEC 60601-2-46 and IEC 60601-1-2. CE



Orthopaedic Surgery: The orthopaedic attachment is mounted directly to tabletop and follows all its movements. The telescopic beams provide good stability. Abduction and adduction is controlled from the distal side of the attachment and well outside the sterile field.

Neurosurgery

Shoulder surgery

Lateral position for kidney or thoracic surgery

General surgery

Lojer Capre RC Multi-Function Chair

The luxury Capre RC chair has been developed together with healthcare professionals to meet the demands of modern treatment processes. Examples of use include dialysis and cytostatic treatment, as well as recovery after outpatient operations. The Capre chair offers a pleasant alternative to a hospital bed, because its five motors and intelligent control system allow it to be adjusted to the optimal position for each patient's treatment and comfort. The control panel allows adjustment of the chairs height, back section, seating angle and both leg sections, independently of one another. The leg sections also feature length adjustment. The chair features three pre-programmed positions as well as two memory spaces for the customer to program and store their own positions. The patient's comfort is further enhanced by the body heat responsive, anatomic SKAI Lux upholstery, an iPad stand and charger option as well as a coffee tray. If necessary, the chair can also be adjusted to horizontal position.
For further information please contact your local Trulife sales representative.

Trulife

A-70000 with C-Prone



A-70002 with C-Flex

A Hill-Rom Company

Allen® Spine System

The Allen Spine System is an extension for your OR table that enables you to perform spine surgery with the positioning benefits of a Jackson table! In addition it offers intraoperative lumbar flex and a small storage footprint. The advanced accessories adjust to fit the individual patient's anatomy.

- Intraoperative Flex – use the power of the table to flex and reposition the patient
- Radiolucent Extension 48" x 17" (1220 mm x 430 mm) – provides excellent C-Arm and O-Arm access
- Saves Space – stores in 3' x 3' area (1 sq. m) and accessories can be stored on the frame
- Optimized pressure management - chest, hip, and head supports
- Versatile – prone, lateral, and supine positioning
- Range of Motion – provides 20° lateral tilt, trend and flex powered by the OR table
- Height – 25" to 38" (635 mm - 965 mm)
- Fits OR tables with outside rail width 20" - 24" (510 mm - 610 mm)
- Patient weight capacity: 500 lbs. (227 kg)

Model No.	Item
A-70002	Spine System (Premium System with C-Flex)
A-70000	Spine System (Standard System with C-Prone)

Allen Spine System Package

Spine Package	Allen Spine Premium Package A-70002	Allen Spine Standard Package A-70000
Attaches to OR table	✓	✓
Lumbar intraoperative flex- anterior,posterior	✓	✓
Cervical intraoperative flex- anterior,posterior	✓	
Lateral flex (XLIF, DLIF)	✓	✓
Prone positioning	✓	✓
Lateral positioning	✓	✓
Supine positioning	✓	✓
Optimize chest and hip pressure	✓	✓
Eye and airway visibility and access	✓	✓
Cervical Management	✓	
Flex Frame	✓	✓
OR Table Clamp Set	✓	✓
Standard Wingset System	✓	✓
Wingset Comfort Cover Disposables (1 Case)	✓	✓
C-Flex Head Positioning System	✓	✓
C-Prone Head Positioner		✓
Comfort Mask Disposables (1 Case)	✓	✓
Prone Arm Supports (2)	✓	✓
Armboard Rails (2)	✓	✓
Easy Lock Socket (2)	✓	✓
Supine Tops (4)	✓	✓
Supine Top Pads (4)	✓	✓

KEY BENEFITS

Trulife

Spine System - Choose Head Posioner

Model No.	Item
A-70700	C-Flex Head Positioner System

Model No.	Item
A-70300	C-Prone Head Positioner

What's Included in A-70000 & A-70002

Model No.	Item
A-70100	Flex Frame

Model No.	Item
A-70610	Prone Arm Supports x 2

Model No.	Item
A-70200	Standard Wingset
Includes Hip + Chest	

Model No.	Item
A-70400	Supine Top Set x Set of 4

Model No.	Item
A-70435	Supine Top Pads (3" / 7.6 cm)
A-70434	Supine Top Pads (2" / 5 cm)
Includes Set of 4 (Specify Thickness)	

Model No.	Item
A-70260	Comfort Cover Disposables
1 Case of 5 Sets	

Model No.	Item
A-70310	Comfort Mask Disposables
1 Case of 5 Sets	

Choose Rail Type

Item
Flex Frame/ Table Clamp Set
Model Numbers
A-70510-EUR, A-70510-UK.
Includes 1 Pair, Specify Rail Type

Item
Easy Lock™ Socket
Model Numbers
A-40023 (EU), A-40024 (UK).
Includes 2, Specify Rail Type

Item
Flex Frame Armboard Rail
Model Numbers
A-70500-EUR, A-70500-UK.
Includes 2, Specify Rail Type

Spine System Optional Extras

Model No.	Item
A-70441	Prone Spinal Leg Pad

Item
Short Accessory Rail
Model Numbers
A-70501-EU, A-70501-UK.
Specify Rail Type

Item
Long Accessory Rail
Model Numbers
A-70502-EU, A-70502-UK.
Specify Rail Type

Item
Advanced Arm Support
Model Numbers
A-70615-EU, A-70615-UK.
Specify Rail Type

Item
Clamshell 2.5cm (1")
Model Numbers
0-AMA97X1.OS

Model No.	Item
A-70270	Contour Breast Positioner

C-Flex® AP-Vantage System

The unique product design eliminates obstructions, leaving nothing but the patient in the shot. C-Flex AP-Vantage System provides the cleanest possible cervical images on an OR table. Attach C-Flex System to any surgical table.

The system can be used for both anterior and posterior cervical surgeries, it includes an OR table adaptor (with carbon fiber rails) and the C-Flex head positioner. All the benefits of the C-Flex system for the OR table with a variety of different head attachments.

Ideal for use with Odontoid Screws, Cervical Fusion, and Artificial Cervical Discs.

- Artifact-Free Imaging
- Squeeze & Position with C-Flex
- Easy Precision Adjustments Intraoperatively
- Added Stability with Optional Leg
- Device Weight = 20 lbs (9 kg)
- Works with the Mayfield Skull Clamp and Mayfield Horseshoe
- Fits OR Tables with Outside Rail Width 20" - 25½" (508 mm - 648 mm)
- Fits Any Accessory Rail Type (US, EU, UK, Denyer, and Japanese)
- Patient Weight Capacity: 500 lbs (227 kg)

Model No.	Item
A-70110	C-Flex AP-Vantage (with C-Flex System)
A-70111	C-Flex AP-Vantage (without C-Flex System)

C-Flex AP-Vantage (with C-Flex System)

Head Positioner

Model No.	Item
A-70700	C-Flex Head Positioner System

OR

C-Flex AP-Vantage (without C-Flex System)

What's Included

Item
C-Flex AP-Vantage OR Table Adaptor
Model Number
A-70115
1 Included

Item
C-Flex 45° Starburst Adaptor
Model Number
A-70118
1 Included

Item
C-Flex Traction Bar
Model Number
A-70117
1 Included

Item
C-Flex AP-Vantage Leg
Model Number
A-70116
1 Included

Optional Extra

Item
C-Flex Clean Cape Disposables
Model Number
A-70702
Case of 10

Advanced Accessories for the Jackson™ Table Package

The Allen® Advanced Accessories package for the Jackson Table is designed to reduce the incidence of OR acquired pressure ulcers by offering advancements in the patient positioning and support systems utilised during all types of spine procedures.

Model No	Item
A-70003	Advanced Accessories For The Jackson Table Package

What's Included in A-70003



Model No.	Item
A-70200	Standard Wingset
Includes Hip + Chest	

Model No.	Item
A-70700	C-Flex Head Positioner System

Model No.	Item
A-70270	Contour Breast Positioner

Model No.	Item
A-70310	Comfort Mask Disposables
1 Case of 5 Sets	

Model No.	Item
A-70260	Comfort Cover Disposables
1 Case of 5 Sets	

Model No.	Item
A-70610	Prone Arm Supports x 2

Item
Easy Lock™ Socket
Model Numbers
A-40023 (EU), A-40024 (UK).
Includes 2, Specify Rail Type

Item
Astrus Elite Supine Top Pads
Model Number
A-70437
Size: 5" (12.7 cm)
3 Included

Item
Flex Frame Armboard Rail
Model Numbers
A-70500-EUR, A-70500-UK.
Includes 2, Specify Rail Type

Item
Jackson Supine Top Pad
Model Number
A-70436
Size: 82" x 20" x 3" (208 x 51 x 7.6 cm)
1 Included

Optional Extras

Model No.	Item
A-AMA74	Prone Arm Support Pad

Item
Astrus Elite Supine Top Replacement Pads
Model Number
A-70437
Size: 5" (12.7 cm)

Easy to Setup

Bow Frame on Jackson

Bow Frame on Flex Frame

Bow Frame on Operating Table

Allen® Bow® Frame

The Allen Bow Frame is a platform used to perform less complex spinal surgeries. The Bow Frame is more versatile than the existing Wilson™ Frame as the single device attaches to standard OR tables, the Jackson Table and Allen Frame.
Its shape creates the desired reverse lordosis needed to open the intervertebral spaces. The Bow Frame enables the patient's abdomen to hang free during procedures. It is also radiolucent and allows for unrestricted C-arm access. The removable crank is used to adjust the amount of flex and tension in the patient supports.

- Fits OR tables
- Radiolucent
- Device weight: 25 lbs (11.3 kg)
- Patient supports are adjustable to fit patients of various sizes
- Patient supports adjust laterally up to 10 inches (25.4 cm) to relieve pressure on the patient's abdomen
- Patient weight capacity: 500 lbs (227 kg)
- Lightweight for easy set-up
- Compact for easy storage
- Storage cart included for easy transport
- Skin Care Cover disposables are comprised of cosmetic foam, designed to protect skin from friction and shear

Ideal for use with;

- Laminectomy
- Microdisc procedures
- Disc procedures
- Fusion procedures
- Decompressions
- Foraminotomy

Model No	Item
A-70800	Allen Bow Frame

What's Included in the Allen Bow Frame A-70800

Model No.	Item
A-70800	Allen Bow Frame
1 Included	

Model No.	Item
A-70821	Crank Arm
1 Included	

Model No.	Item
A-70815	Bow Frame Cart
1 Included	

What's Required

Model No.	Item
A-70810C	Bow Frame Skin Care™ Covers
Case of 6 Sets	

OR

Model No.	Item
A-70805	Bow Frame Standard Covers
Case of 6 Sets	

OR

Model No.	Item
A-70810	Bow Frame Skin Care Covers Kit
Case of 6 Sets	

OR

Model No.	Item
A-70862	Allen Foam Head Block
Case of 6 Sets	

OR

Optional Extras.

Model No.	Item
A-70820	Replacement Pad Set

Model No.	Item
A-70825	Foam Head Block Stand

Bow® Frame Cart

The Bow Frame Cart stores all of the accessories used with the frame, including the head positioner and arm supports. The Bow Frame stores securely in the deep bin of the cart. The cart's weighted base makes it tip-resistant and reduces potential vibration during transport. The polymer base is dent-resistant and the heavy-duty casters roll smoothly. Two casters lock for safer and easier loading, unloading, and storage.

Model No.	Item
A-70815	Bow Frame Cart

Montreal Laminectomy Support

The Montreal Laminectomy Support is a prone positioning device manufactured to K8 pressure care specification and ergonomically designed to ensure maximum patient comfort. All edges are sealed for easy cleaning.

Model No.	Item	Dimensions (External)
10160	Montreal Laminectomy Support	990mm x 490mm



Trulife

Table-Powered Beach Chair
Use the Power of Your OR Table

The Table-Powered Beach Chair easily attaches to the leg section of your surgical table and positions the patient using the power of the table. Effortlessly positions patients throughout the 0° - 90° articulation range. Patient Weight Capacity: 400 lbs (181 kg).

Model No.	Item
A-90000	Allen Table Powered Beach Chair

Lift-Assist® Beach Chair
Make Positioning Easy. Use Lift-Assist One-Handed Positioning

The Lift-Assist Beach Chair is designed for use with orthopaedic procedures using the Fowler's or beach chair position. The chair offers unobstructed access, and the Lift-Assist mechanism makes repositioning the patient quick and easy. The Lateral Slide feature enables the surgeon to move the patient closer to the edge of the OR table, for increased surgical site access. The Lift-Assist Beach Chair weighs under 30 lbs (13.6 kg) without the back support panels installed.

Model No.	Item
A-91500	Allen Lift-Assist Beach Chair

Features	Allen Lift-Assist Beach Chair	Allen Table-Powered Beach Chair
Range of Motion	0° - 85°	0° - 90°
Positions	All positions within range	All positions within range
Lift Mechanism	Lift-Assist	Power from table foot section
Chair Adjusts Laterally	Yes	No
Table Width Range	20" - 26" (50.8 cm - 66 cm)	21 3⁄8" - 23" (54.3 cm - 58.4 cm)
Patient Weight Capacity	500 lbs. (227 kg)	400 lbs. (181 kg)

What's Included Table-Powered Chair

Model No.	Item
A-90000	Table-Powered Beach Chair

Model No.	Item
A-90020	Reusable Pad Set x 1

Model No.	Item
A-90003	Reusable Security Strap x 1

What's Required Table-Powered Chair

Model No.	Item
A-90014 (EU/UK)	Beach Chair Clamp 2 Required, Specify Rail Type

Counter Traction

Model No.	Item
A-90015	Counter-Traction Strap
1 Required	

OR

Model No.	Item
A-90001	Counter-Traction Brace
1 Required	

Model No.	Item
A-40023 (EU)	Easy Lock Socket
A-40024 (UK)	1 Required, Specify Rail Type

Headrest / Disposables

Model No.	Item
A-90022	Universal Head Positioner
1 Required	

Item
Universal Head Restraint Disposables
Model No. A-90023 - Case of 10

Choose an Arm Support

Model No.	Item
A-90002	LPS Arm Support
1 Required	

OR

Model No.	Item
O-ABMT	Multi-Task Armboard
1 Required	

AND

Model No.	Item
A-40023 (EU)	Easy Lock Socket
A-40024 (UK)	1 Required, Specify Rail Type

Optional Extras

Model No.	Item
A-92000	Allen Arm Positioner
1 Required	

Model No.	Item
A-90100E(EU)	Beach Chair Cart
A-90100 (UK)	1 Required, Specify Rail Type

What's Included Lift-Assist Beach Chair

Model No.	Item
A-91500	Lift-Assist Beach Chair

Model No.	Item
A-91503EU (EU)	Lift-Assist Beach Chair
A-91503UK (UK)	Clamp x2 Included

Model No.	Item
A-90040	Reusable Pad Set x 1

Model No.	Item
A-91502	Intubation Plate and Pad

What's Required Lift-Assit Chair

Counter Traction

Model No.	Item
A-90015	Counter-Traction Strap
1 Required	

Model No.	Item
A-40023 (EU)	Easy Lock Socket
A-40024 (UK)	1 Required, Specify Rail Type

Choose an Arm Support

Model No.	Item
A-70610	LPS Arm Support
1 Required	

OR

Model No.	Item
O-ABMT	Multi-Task Armboard
1 Required	

AND

Model No.	Item
A-40023 (EU)	Easy Lock Socket
A-40024 (UK)	1 Required, Specify Rail Type

Headrest Disposables

Model No.	Item
A-90022	Universal Head Positioner
1 Required	

Item	
Universal Head Restraint Disposables	
Model No.	A-90023 - Case of 10

Optional Extras

Model No.	Item
A-92000	Allen Arm Positioner
1 Required	

Model No.	Item
A-90100E(EU)	Beach Chair Cart
A-90100 (UK)	1 Required,Specify Rail Type

Sliding Head Positioners

All of the Allen Beach Chairs feature free sliding head positioners to protect the patient's neck when raising and lowering the table. Fold-away shoulder wings remove completely for unobstructed shear-free access to the operative shoulder.

Table-Powered - On powered OR tables, the Table-Powered Beach Chair utilizes the table's foot section to raise and lower the patient.

Lift-Assist - On non-powered OR tables, the Lift-Assist Beach Chair reduces the effort required to raise and lower the patient.

Trulife

Allen® Arm Positioner
Ideal for use with all Open and Arthroscopic Upper Limb Procedures

The Allen Arm Positioner delivers effortless arm positioning for shoulder surgery in the Beach Chair position, as well as elbow and clavicle procedures. By indexing at the elbow, the device is able to gain complete positioning control of the shoulder joint. The revolutionary patent pending design allows the entire device to be steam sterilised and provides an unprecedented level of access to the surgical site. The device also has the capability of achieving a semi-locked state, allowing the surgeon to simply move the arm where he wants it without having to adjust the tension.

- Effortless, fluid positioning for enhanced site access
- Connects over the drape, in the sterile field
- Compact and portable for easy storage
- Single knob releases all joints
- Index at the elbow for complete control
- The only fully autoclavable arm positioner on the market
- Quick and easy setup
- Unlimited access to the surgical site (no bars or foot pedal obstructions)
- No Foot Pedal / No Hoses / No Hydraulics / No Power Cords
- Lightweight, device weighs only 6 lbs. (2.7 kg). No cart required
- Patient Weight Capacity: 500 lbs. (227 kg)

Model No.	Item
A-92000	Allen Arm Positioner

Autoclavable Clamp

Allen's Autoclavable clamp is fully autoclavable and is designed for use in the sterile field. It can attach to the rail over multiple drapes and accepts accessories with a 5⁄8" (1.6 cm) wide post. The clamp provides 360° rotation for optimal positioning. Patient Weight Capacity: 500 lbs (227 kg).

Model No.	Item
A-92002	Autoclavable Clamp (US/EU/Swiss/Japan)

For Round Posts

LPS Arm Support
Safely & Easily Positions Patients in Lateral, Prone & Seated Orientations

Allows for effective positioning of arms to prevent potential patient injury. The malleable hand rest enables surgeon to place patient's hand in any desired orientation. Patient Weight Capacity: 500 lbs. (227 kg).

Model No.	Item
A-70610	LPS Arm Support

Lateral Positioning

Seated Positioning

Trulife

Arm Tables

Model No.	Item
10231	Extended Arm Table Pad Only (Old Pattern) 25mm Deep
10233	Extended Arm Table Complete (X-Ray Translucent)
10234	Extended Arm Table Pad Only 75mm Deep
10220	Narrow Arm Table Complete 590mm x 210mm - Requires Clamp 10250 (x1)
10221	Narrow Arm Table Pad Only 590mm x 210mm
10225	Square Arm Table Complete 450mm x 415mm
10226	Square Arm Table Pad Only 450mm x 415mm

Lateral Braces

Extended posts adjusts for use on patients from pediatric to bariatric and stabilises on OR tables. Suitable for total hip and other procedures requiring optimum lateral stability.

- Braces are fully adjustable.
- Soft pads provide soft cushioning of bony prominences.
- Swivel heads conform to anatomical contours of patient and can be securely locked for precise positioning.

Model No.	Item
O-UPBL3S	Lateral Braces (3 Piece Set)

Carbon Lights™ Minor Procedures Table

This small and ultra lightweight table works well for procedures such as carpal tunnel releases and AV fistulas. Compatible with any OR table. Has two round 5⁄8” (1.6 cm) posts.
Note: Pad sold separately.

Model No.	Item
A-30410-C	Carbon Lights Minor Procedures Table
A-30410-CL	Carbon Lights Minor Procedures Table w/ Leg

Features	Details
Weight: Approx.	3.4 lbs. (1.5 kg) - Carbon Fiber
Table Dimensions:	24” x 15” (61 cm x 38 cm)
Patient Weight Capacity:	400 lbs. (181 kg)

Carbon Lights™ Hourglass Table

This full-sized table provides rock solid stability and yet is light enough for easy transport. The adjustable support leg enhances stability yet can be tucked under for easy access. The integral mounting clamps allow vertical adjustment to align with pads on X-ray tops.
Note: Pad sold separately

Model No.	Item
A-30650-C	Carbon Lights™ Hourglass Table

Features	Details
Weight: Approx.	Approx. 9.2 lbs (4.2 kg)
Table Dimensions:	34” x 16” (26” at end) 86 cm x 41 cm (66 cm at end)
Patient Weight Capacity:	400 lbs (181 kg)

Trulife

Easy Armboard™ with Trigger

With the trigger design, simply pull the radiolucent release mechanism for full articulation and release it to lock. A spring lever accessible from both sides securely locks the armboard to the rail and eliminates the uncertainty of gravity locks.
Patient Weight Capacity: 181 kg (400 lbs).

Model No.	Item
0-ABSLTE	Easy Armboard With Trigger (EU)
0-ABSLTUK	Easy Armboard With Trigger (UK)

Specify Rail Type

Easy Armboard™ Lift-to-Position

Lift the end of the board and rotate to the desired position. The patient's arm weight locks the board in place when lowered. A spring lever securely locks the armboard to the rail eliminating the uncertainty of gravity locks. Armboard measures 26" x 51⁄2" (66 x 14 cm). Note: Japanese version is 22"x 51⁄2" (56 x 14 cm). The pad width measures 6" (151⁄4 cm).
Patient Weight Capacity: 400 lbs. (181 kg).

Model No.	Item
0-ABSLE	Easy Armboard Lift-to-Position (EU)
0-ABSLUK	Easy Armboard Lift-to-Position (UK)

Specify Rail Type

Easy Armboard™

What's Required

Model No.	Item
0-AMA96X2.0S	Clamshell Armboard Pad 5cm (2") Pad,1 Required

OR

Model No.	Item
0-AMA96X3.0S	Clamshell Armboard Pad 7.6cm (3") Pad,1 Required

What's Optional

Model No.	Item
0-A1004X2.0S	Standard Armboard Pad 5cm (2") Pad
0-A1004X3.0S	7.6cm (3") Pad

Multi-Task Armboard

Provides arm support for lateral, chair, prone and neuro park bench positions. Lockable ball socket combined with 6" (15 cm) of horizontal travel permits a wide range of positioning flexibility.
Patient Weight Capacity: 500 lbs (227 kg).

Model No.	Item
0-ABMT	Multi-Task Armboard

Trulife

Armboard with Clamp

Model No.	Item
10-380	Armboard with clamp
10-381	Cushion, Flat. Please specify rail type (EU or UK)
10-382	Cushion, U-Shaped



Arm Shield

Model No.	Item
0-AS	Arm Shield
0-AMA53X0.6S	Arm Shield Pad

Arm Supports

Trulife offers a wide selection of arm supports including hand tables, for positioning and protecting patients in prone, supine or lateral positions.

Model No.	Item
10105	Arm Retainer L Shaped
10110	Arm Retainer J Shaped
10112	Arm Retainer Extra Wide
10115	Arm Retainer Pad - Suitable for 10105 & 10110
10117	Arm Retainer Pad Extra Wide

Nissen Strap/Thigh Retractor

Secure patients from sliding during steep reverse Trendelenburg procedures such as Nissen Fundoplication. Conductive straps encircle each upper thigh with a broad soft pad. Airplane style buckle permits convenient length adjustment. Pad is 4.5” (11.4 cm) wide and 20” (51 cm) long. Straps are adjustable up to 48” (122 cm). Patient Weight Capacity: 500 lbs (227 kg).

Model No.	Item Note:Nissen Straps are Sold in Pairs
0-NTSE (EU)	Nissen Straps/Thigh Retractors (EU)
0-NTSUK (UK)	Nissen Straps/Thigh Retractors (UK)

Total Knee Stabilizer

A convenient, stable device to support the flexed leg during total knee procedures. Eliminates awkward sandbags, and simply mounts to the table rail. The 10” long by 2” diameter (25.5 cm x 5 cm) foot support is covered with a soft, replaceable closed-cell foam pad. The 13” (33 cm) long mounting bar permits vertical height adjustment while the flat 1⁄4” x 1” (0.6 cm x 2.5 cm) cross section prevents unwanted rotation.

Model No.	Item
0-TKS	Total Knee Stabilizer with Pad

Sterile Mesh Finger Trap Disposables

Sterile single or double traps. Disposable, for single use only. Five color-coded sizes: Pediatric, Small, Medium, Large, Extra Large.



Sterile Starter Kit

Comes with eight finger traps in four sizes
(extra large, large, medium, small - two each)

Model No.	Item
R-30522-999	Double Starter Kit
R-30522-888	Single Starter Kit

Eaches (Minimum Order of Eight) - Mix and Match

Item	
Singles (1 per hook)	
Model Numbers	
A-30522-8	Single, Extra large
A-30522-2	Single, Large
A-30522-4	Single, Medium
A-30522-5	Single, Small
A-30522-9	Single, Pediatric trap

Item	
Double (2 per hook)	
Model Numbers	
A-30522-7	Double, Extra large
A-30522-1	Double, Large
A-30522-3	Double, Medium
A-30522-6	Double, Small

Pediatric Trap

Cases

Item	
Singles (Case of 8)	
Model Numbers	
R-30522-8	Single, Extra large
R-30522-2	Single, Large
R-30522-4	Single, Medium
R-30522-5	Single, Small
R-30522-9	Single, Pediatric trap

Item	
Double (Case of 8)	
Model Numbers	
R-30522-7	Double, Extra large
R-30522-1	Double, Large
R-30522-3	Double, Medium
R-30522-6	Double, Small

Arm Traction Device

Accommodates intraoperative traction up to 40 lbs (18.2 kg) for shoulder, arm, and wrist procedures. A mechanical safety stop prevents patient injury in the event the support arm is inadvertently released. Save time and cost by using it as an arm support for both prepping and traction.
Weights not included, Patient weight capacity(500lbs) 227kg.

Model No.	Item
A-20500	Arm Traction Device

Traction Boot

Active Heel™ Technology Provides Superb Traction to Prevent Foot Slip

- Fits size range 4 (UK) female to131⁄2 (UK) male
- One boot fits left or right foot
- Active Heel Technology
- Handles for easy foot manipulation.

Model No.	Item
A-93000	Allen Traction Boot
A-93001	Traction Boot Disposable (not shown)

Trulife



Leg and Foot Positioners

We offer a wide range of leg and foot positioners from leg holders and total knee stabilisers to abduction board and heel supports.

Model No.	Item
10145	D Shaped Pillow 480mm x 125mm x 65mm
10150	Turret Heel Support Single
10155	Abduction Support for 75mm Deep mattress
10776	Athroscopic Stress Post

Crawford Wedge

Model No.	Item
10550	Crawford Wedge Small, 550 x 300 x 100mm
10555	Crawford Wedge Large, 550 x 510 x 200mm



Abduction Wedge

Model No.	Item
10290	Abduction Wedge

Foam Leg Trough

Model No.	Item
10285	Foam Leg Trough (covered)

allen
A Hill-Rom Company

PAL Pro® Stirrups

The Power of Safety and Control at Your Fingertips

The PAL Pro Stirrup is the highest level stirrup utilising a standard boot. The stirrup allows for easy adjustment of abduction and lithotomy while maintaining the sterile field. The PAL Pro is differentiated from the Yellofin Stirrup by boot design, optional integrated clamps, mechanism cover, the type of hand control and lithotomy indicator.

- Floating Boot – Self adjusting standard boot minimizes pressure on the calf, when moving the stirrup
- Lift-Assist – Allows easy movement of the leg when placing it in the desired position
- Handle – Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions
- Lithotomy range – Set the stirrup in any position between +90° to –22° lithotomy
- Abduction Range – Set the stirrup in any position between +25° to –9° abduction
- Lithotomy & Length Indicators – Visual indicators help ensure precise positioning
- Mechanism Cover – Easier to clean the stirrup between cases
- Optional Integrated Clamp – No risk of losing clamps
- No Foot Pedal / No Hoses / No Hydraulics / No Power Cords
- Lightweight, device weighs only 6 lbs. (2.7 kg). No cart required!
- Patient Weight Capacity: 350 lbs. (159 kg)
  Note stirrups are sold in pairs.

Model No.	Item
A-10052	PAL Pro without Integral Clamp
A-10028	C/Foot Hooker Boot Pad, Pair(sold separately)

Junior PAL™ & Little PAL™ Pediatric Stirrups

Effective, Natural Design Fits Pediatric Anatomy

Easy to use, comfortable, and secure leg positioning for pediatric patients of all ages. Simultaneous abduction and lithotomy adjustments are easily made via a single handle, while maintaining the sterile field. Boot is adjusted with a single clamp, making positioning simple. Attaches to the rail of any OR table.

- Pediatric Boot Design – Special boot design to fit pediatric anatomy, and cradling the pediatric calf, ankle, and heel in a natural position
- Floating Boot – Self adjusting standard boot minimizes pressure on the calf, when moving the stirrup
- Reusable Clamshell Pad – Completely encapsulates the foot, ankle, and calf to protect, cushion, and reduce pressure on these areas
- Visual Indicators – Help to ensure precise positioning
- Lithotomy Range – Set the stirrup in any position between +90° to –35° lithotomy
- Abduction Range – Set the stirrup in any position between +25° to –9° abduction

Model No.	Item
A-10055	Pediatric Stirrup Package (Includes 1 Pair Junior PAL + 1 Pair Little PAL)
A-10056	Junior PAL Stirrups (1 Pair) Appropriate for most pediatric patients ages 7-11 years old. Patient Weight Capacity: 250 lbs. (113 kg).
A-10057	Little PAL Stirrups (1 Pair) Appropriate for most pediatric patients ages 3-6 years old. Patient Weight Capacity: 160 lbs. (73 kg)

Trulife

Yellofins® Stirrups

Simultaneous Lithotomy and Abduction

The Yellofin Stirrup represents the gold standard in lithotomy positioning. Yellofin Stirrups allow for easy adjustment of abduction and lithotomy while maintaining the sterile field. The boot design reduces pressure under the popliteal fossa and the superficial peroneal nerve. The Yellofin enables safe and easy positioning while providing enhanced surgical site access.

- Boot Design – Fin design helps reduce pressure under the popliteal fossa and superficial peroneal nerve
- Floating Boot – Self-adjusting boot minimizes pressure on the calf, when moving the stirrup
- Lift-Assist – Allows easy movement of the leg when placing it in the desired position
- Yellofin Reusable Pad – Completely encapsulates the foot, ankle and calf for comfortable and secure positioning
- Squeeze Grip Handle – Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions
- Lithotomy Range – Yellofin, and Yellofin Elite with Lift-Assist – Set the stirrup in any position between +84° to –33° lithotomy. Yellofin without Lift-Assist – Set the stirrup in any position between +90° to –35° lithotomy
- Abduction Range – Set the stirrup in any position between +25° to –9° abduction
- Lithotomy & Length Indicators – Visual indicators that help ensure precise positioning

Model No.	Item
0-YFES	Yellofin Elite with Lift-Assist (500 lbs./227 kg Capacity), sold in pairs
0-YFASI	Yellofin with Lift-Assist (350 lbs./159 kg Capacity), sold in pairs
0-YFSI	Yellofin without Lift-Assist (350 lbs./159 kg Capacity), sold in pairs
0-AMA68S0.6S	Yellofin Boot Pad, Pair (sold separately)

Ultrafin® Stirrups

Easily Accommodates Patients with Larger Calves 800 lbs. (363 kg) Patient Weight Capacity

The Ultrafin Stirrup is an upgrade of the Yellofin Stirrup. The reinforced rod and joint assembly and the flexible boot make the system capable of positioning a patient weighing up to 800 lbs. (363 kg). Though designed for large patients, the Ultrafin Stirrup is still appropriate for use with the general patient population.

- Patient Weight Capacity: 800 lbs. (363 kg) – Support lithotomy positioning for very large patients
- Flexible Boot – Boot comfortably conforms to the calf shape of the patient while providing support
  - Fin design helps reduce pressure under the popliteal fossa and superficial peroneal nerve
  - Flexible boot allows these stirrups to be standardized throughout the facility
- Floating Boot – Self adjusting boot minimizes pressure on the calf, when moving the stirrup
- Lift-Assist – Allows easy movement of the leg when placing it in the desired position
- Ultrafin Clamshell Pad – Completely encapsulates the foot, ankle and calf for comfortable and secure positioning for both large and small patients
- Squeeze Grip Handle – Provides easy intraoperative adjustment without compromising the sterile field. Simply release the handle to secure the leg holder in all directions
- Lithotomy Range – Set the stirrup in any position between +84° to –33° lithotomy
- Abduction Range – Set the stirrup in any position between +25° to –9° abduction
- Lithotomy & Length Indicators – Help ensure precise positioning

Model No.	Item
0-UFAS	Ultrafin Stirrups, sold in pairs

Uro Catcher® System

Provides excellent fluid containment for hysteroscopy or cysto procedures on any table. Flexible drape support frame provides unobstructed surgeon access during manipulation and springs back to its original state to facilitate optimal fluid drainage. Mounts easily with integral rail clamps to side rails and maintains its funnel shape.

Model No.	Item
0-UC4E (EU)	Uro Catcher System (EU)
0-UC4UK (UK)	Uro Catcher System (UK)

Disposables Sold Separately

Uro Catcher Drapes

Open mesh filter allows for fast drainage of fluids. The flexible drain hose is compatible with all suction systems for accurate fluid measurement and metering. Velcro securement eliminates the need to use tape. Durable, latex-free drape has flexible hose. Length of tubing is 64" (162.5 cm) extended, 20" (50.8 cm) compressed. Tubing diameter is 7⁄8" (2.2 cm).

Model No.	Item
0-UC31	Sterile Drape (Case of 10)
0-UC32	Non-sterile Drape (Case of 10)

Open Mesh

Brachytherapy Drapes for Uro Catcher System

Our ultra-fine mesh trap is designed to catch even very small particles while allowing fluid to drain through. The flexible drain hose is compatible with all suction systems for accurate fluid measurement and metering. Velcro securement eliminates the need to use tape. Durable, latex-free drape has flexible hose. Length of tubing is 64" (162.5 cm) extended, 20" (50.8 cm) compressed. Tubing diameter is 7⁄8" (2.2 cm).

Model No.	Item
A-50008	Sterile Drape (Case of 10)
A-50007	Non-sterile Drape (Case of 10)

Ultra-Fine Mesh

Easy Catcher™ Disposable System

The Allen® Easy Catcher™ Disposable System attaches to the side rails of any OR table via two integral rail clamps. The system is fully disposable, making it more convenient and quicker to setup. In addition, the Easy Catcher has a removable tube adaptor that enables it to connect to a variety of fluid waste management systems. It is designed to catch and drain fluid during a surgical procedure. It attaches to the side rails of an OR table via two integral rail clamps. The Easy Catcher is a single piece system that contains a fluid drain drape with an integral flexible structure. The support band also flexes to accommodate the doctor's midsection during procedures.

Specify Rail Type

Model No.	Item
0-EC51-EU	Easy Catcher Disposable System: STERILE (Case of 10) (EU)
0-EC52-EU	Easy Catcher Disposable System: NON-STERILE (Case of 10) (EU)
0-EC51-UK	Easy Catcher Disposable System: STERILE (Case of 10) (UK)
0-EC52-UK	Easy Catcher Disposable System: NON-STERILE (Case of 10) (UK)

Trulife

Allen® Hug-U-Vac® Lateral Positioner

Safe, Comfortable, and Secure Lateral Patient Positioning

The Allen Hug-U-Vac Lateral Positioner safely and comfortably holds patients in lateral and supine positions. The Hug-U-Vac Lateral Positioner's integral quick-release straps enable it to attach securely to the rails of standard OR tables.
The Hug-U-Vac Positioner has a secure valve that eliminates the need for continuous suction.

Ideal for use with:

- Urology Procedures
- Orthopaedic Procedures
- Cardiothoracic Procedures
- Neurological Procedures
- Thoracotomy Procedures
- Plastic Surgery
- General Surgery
- Also can be used for supine positioning in a variety of procedures

Model No.	Item
A-60004	Allen Hug-U-Vac Lateral Positioner (SMALL) 200 lbs / 91 kg Capacity) Device Dimensions: 20" x 22" (50.8 cm x 55.9 cm)
A-60003	Allen Hug-U-Vac Lateral Positioner (STANDARD) (500 lbs / 227 kg Capacity) Device Dimensions: 36"x 32" (91.4 cm x 81.3 cm)
A-60002	Allen Hug-U-Vac Lateral Positioner (LARGE) (800 lbs / 363 kg Capacity) Device Dimensions: 48" x 35" (121.9 cm x 88.9 cm)

What's Included

Model No.	Item
A-60004	Allen Hug-U-Vac Lateral Positioner (SMALL)

Model No.	Item
A-60003	Allen Hug-U-Vac Lateral Positioner (STANDARD)

Model No.	Item
A-60002	Allen Hug-U-Vac Lateral Positioner (LARGE)

What's Required

Item
Allen Hug-U-Vac Lateral Disposable Covers
Model Number
A-60104 (SMALL)
A-60103 (STANDARD)
A-60102 (LARGE)

What's Optional

Model No.	Item
O-RSX2	Allen Large Security Strap

Trulife

Allen Hug-U-Vac® Steep Trend Positioners

A New Standard of Care for Robotic Procedures

The Allen Hug-U-Vac Steep Trend Positioners safely and comfortably holds patients in the steep trendelenburg, reverse trendelenburg and lateral oblique positions. The Hug-U-Vac positioner has integral quick-release straps that enable it to attach tightly to the rails of standard OR tables. The Hug-U-Vac positioner unique pliable design enables it to inflate and deflate evenly, to fit the patient's body. The Large Hug-U-Vac positioner has been designed with three chambers to accommodate larger patients.

Ideal for use with:

- Gynecology Procedures
- Urology Procedures
- Nissen Fundoplications
- Colorectal Procedures
- Cholocystectomies
- Robotic Surgical Procedures

Model No.	Item
A-60010	Steep Trend Positioners Package - Includes: Hug-U-Vac® Steep Trend Positioner & Hug-U-Vac® Large Steep Trend Positioner
A-60001	Allen Hug-U-Vac Standard Steep Trend Positioner (500 lbs / 227 kg Capacity) Device Dimensions: 46" x 42" (116.8cm x106.7cm) Device Weight: 8 lbs (3.6 kg)
A-60005	Allen Hug-U-Vac Large Steep Trend Positioner (500 lbs / 227 kg Capacity) Device Dimensions: 51"x 54" (129.5cm x137.1cm) Device Weight: 10 lbs (4.5 kg)

What's Included

Model No.	Item
A-60001	Allen Hug-U-Vac Standard Steep Trend Positioner

OR

Model No.	Item
A-60005	Allen Hug-U-Vac Large Standard Steep Trend Positioner

What's Required

Item
Allen Shoulder Supports
Model Number
A-63500
(Required for Standard Steep Trend Positioner)

Item
Standard Steep Trend Positioner Disposable Covers
Model Number
A-60101
Case of 12

Item
Allen Large Security Strap
Model Number
O-RSX2
(Required for Large Steep Trend Positioner)

Item
Large Steep Trend Positioner Disposable Covers
Model Number
A-60105
Case of 12

What's Optional

Model No.	Item
O-YFES	Yellofins® Elite with Lift-Assist - 1 Pair

Olympic Vac-Pac

A Better, Safer Method of Positioning Patients for Surgery

Vac-Pacs are soft pads which are filled with thousands of tiny plastic beads. The Vac-Pac is molded around the patient, then a suction line is attached. As a vacuum is created inside the Vac-Pac, outside atomspheric pressure forces the beads together and the Vac-Pac becomes firm.

When the suction line is disconnected, the Vac-Pac retains its firm, molded shape to hold the patient securely in position. After surgery, the valve is opened for reuse.

Model No.	Item
Size 11	16”W x 12”L (40.6 x 30.5 cm)
Size 23	18”W x 20”L (45.7 x 50.8 cm)
Size 30	28.7”W x 35.5”L (72.9 x 90.2 cm)
Size 31	38.7”W x 35.5”L (98.3 x 90.2 cm)
Size 32	46.7”W x 35.5”L (118.6 x 90.2 cm)
Size 35	34.5”W x 28”L (87.6 x 71.1 cm)
Size 40	30”W x 76”L (76.2 x 193.1 cm)

Easy Lock™ Socket

Quite Possibly the Easiest Accessory Clamp in the World

No need to look for table notches when attaching the Easy Lock Socket. Attach the clamp anywhere on the OR table rail.
Accepts any round post up to 11⁄16” (1.8cm). Quick and easy pull-to-release lever. Lithotomy wheel for accessory angle adjustments.
Patient Weight Capacity: 800 lbs. (363 kg).

Model No.	Item
A-40023	Easy Lock Socket (EU)
A-40024	Easy Lock Socket (UK)

For Round Posts

Easy Lock™ Blade Clamp

Quite Possibly the Easiest Blade Clamp in the World

The Easy Lock does not require table notches and can be attached anywhere on the OR table rail. Accepts all 1” x 1⁄4” (2.5 cm x 0.6 cm) accessories with flat mounting
blades. Quick and easy pull-to-release lever.
Patient Weight Capacity: 800 lbs. (363 kg).

Model No.	Item
A-40041	Easy Lock Blade Clamp (EU)
A-40042	Easy Lock Blade Clamp (UK)

For Rectangular Blades

For Rectangular Blades
For Round Posts

Universal Clamp

Single clamp secures accessories with round and rectangular mounting posts from any manufacturer. Accessories can be mounted either vertically or horizontally (e.g. foot extension) with the same clamp. Attach the clamp anywhere on the OR table rail between rail standoffs. Accepts 5⁄8” (1.6 cm) round and 1” x 1⁄4” (2.5 cm x 0.6 cm) flat accessories. Not recommended for use with stirrups. Patient Weight Capacity: 350 lbs. (159 kg).

Model No.	Item
0-RCP2	Universal Clamp (EU)

For Round Posts

Simple Clamp

Innovative design allows placement under/over drapes. Durable aluminum and stainless steel construction. Attach the clamp anywhere on the OR table rail between rail standoffs. Holds all 1⁄2” to 5⁄8” (1.3 cm to 1.6 cm) diameter accessories. Patient Weight Capacity: 500 lbs. (227 kg).

Model No.	Item
A-40018	Simple Clamp (EU)
A-40018-UK	Simple Clamp (UK)

For Rectangular Blades

Rail Clamp

Securely locks all accessories with flat mounting blades anywhere along the table side rail. Attaches at OR table rail ends or rail notches. Perfect for tabletop extensions and knee/foot board applications. Strong and light-weight replacement for original rail locks. Accessories can be mounted either vertically or horizontally. Reduces the “free play” associated with standard clamps. Accepts 1” x 1⁄4” (2.5 cm x 0.6 cm) flat accessories. Patient Weight Capacity: 720 lbs. (327 kg).

Model No.	Item
0-RC2XUK	Rail Clamp (UK)

Handwheel Socket Clamp, Universal

Model No.	Item
10250	Handwheel Socket Clamp, Universal - Suitable for BS or Euro Rails

Trulife

Autoclavable Clamp

This clamp is fully autoclavable and is designed for use in the sterile field. It can attach to the rail over multiple drapes and accepts accessories with a 5⁄8" (1.6 cm) wide post. The clamp provides 360° rotation for optimal positioning. Patient Weight Capacity: 500 lbs (227 kg).

Model No.	Item
A-92002	Autoclavable Clamp (EU) - For round posts

Rotating Clamps

These charts provide a variety of Allen clamps categorised by feature, function and country rail type for selection purposes.

Item	Country Rails	Use With	Attach Clamp
Easy Lock Socket	EU = 10 x 25mm	Round Post	Anywhere on table rail
	UK = 6.35 x 31.75mm	Round Post	Anywhere on table rail
Autoclavable Clamp	EU = 10 x 25mm	Round Post	Anywhere on table rail / At Table Rail Ends, and Table Rail Notches
Easy Lock Blade Clamp	EU = 10 x 25mm	Rectangluar Blade	Anywhere on table rail
	UK = 6.35 x 31.75mm	Rectangluar Blade	Anywhere on table rail

Fixed Clamps

Item	Country Rails	Use With	Attach Clamp
Easy Lock Blade Clamp	EU = 10 x 25mm	Rectangluar Blade	Anywhere on table rail
	UK = 6.35 x 31.75mm	Rectangluar Blade	Anywhere on table rail
Rail Clamp	EU = 10 x 25mm	Rectangluar Blade	At Table Rail Ends, and Table Rail Notches
	UK = 6.35 x 31.75mm	Round Post	At Table Rail Ends, and Table Rail Notches
Simple Clamp	EU = 10 x 25mm	Rectangluar Blade	Anywhere between Standoffs Rail
	UK = 6.35 x 31.75mm	Rectangluar Blade	Anywhere between Standoffs Rail
Universal Clamp	EU = 10 x 25mm	Round Post/ Rectangluar Blade	Anywhere between Standoffs Rail

Table Width Extender 10cm (4")

Increases the support surface for larger patients. Clips easily with integral locking mechanism to the rail. Can be used individually or in multiples to create a custom platform. Support surface measures 10cm x 51cm (4" x 20"). Includes side rail for mounting stirrup clamps, armboards and other accessories. Contact your local Trulife sales representative for replacement pad information - Patient Weight Capacity: 181 kg (400 lbs).

EU Rail	UK Rail
0-TWE1E w/2.5cm Pad	0- TWE1UK w/2.5cm Pad
0-TWE2E w/5cm Pad	0-TWE2UK w/5cm Pad
0-TWE3E w/7.6cm Pad	0-TWE3UK w/7.6cm Pad
0-TWE4E w/10cm Pad	0-TWE4UK w/10cm Pad

Accessory Trolley

This ergonomically designed stand offers a complete storage solution for general operating theatre and QA4 accessories. Adaptable, robust and multi-functional, it is ideal for modern theatre environments and clinical areas.

Specific storage for QA4 accessories with locations for:

- 4 cotsides
- 2 leg sections
- power cable
- 2 transfusion poles
- Provides positions for a large number of general accessories

Model No.	Item
21370	Accessory Trolley British Standard Rail
21370E	Accessory Trolley European Standard Rail
21371	Accessory Trolley Spare Trough

Dimensions	Height	Width	Depth
Stand	1370mm	720mm	720mm
Storage Box	280mm	680mm	230mm

Maximum load 100kg

Item	General Specifications: QA4 Accessory Stand
Frame	Teflon® Coated
Base	Acrylic Capped, Vacuum Formed Base Antibacterial
Casters	100mm Twin Wheel Polyurethane Tyred Non-Corrosive Castors

Trulife

Accessory Cart

The Accessory Cart provides convenient storage for most of your surgical table accessories. Six rails and a deep bin afford plenty of storing space. Optional accessory hooks allow quick and easy storage. Weighted base makes cart tip resistant and reduces potential vibration during transport. Polymer base is dent-resistant. Heavy duty casters roll smoothly. Two casters lock for safer and easier loading, unloading, and storage.

Model No.	Item
A-30010E	Accessory Cart (EU)
A-30010UK	Accessory Cart (UK)

Stirrup Cart

A great way to store and protect your investment, this strong and lightweight cart holds and transports your stirrups or legholders. Compact and state-of-the-art, the cart will hold any stirrup from any manufacturer. The sturdy molded fourcaster polymer base is dent-resistant. The deep storage bin is a great place to store clamps and pads securely.

Model No.	Item
A-30015	Stirrup Cart



Two different size hooks allow this storage cart to hold a variety of stirrups. Hold up to a 3⁄4” (1.9 cm) rod on the smaller hook and up to a 1” (2.5 cm) on the larger hook.

Easy Rack

The Easy Rack will provide convenient storage for your stirrups, armboards, clamps, straps and other table accessories. Dent resistant polymer construction is easily cleanable. Specially designed hooks will take all types of stirrups and can be placed onto rack just like they came off the table. No need to readjust to fit on rack. Unique key slots accept 1⁄4” x 1” (0.6 cm x 2.5 cm) flat and 5⁄8” (1.6 cm) round mounting posts without the need for clamps.
Requires appropriate wall fasteners (not included).

Model No.	Item
0-MR2E	Easy Rack (EU)
0-MR2UK	Easy Rack (UK)

Specify Rail Type

Serres Suction System

SERRES Suction Bag System features all necessary options. All of them suitable for serial connection, SERRES Suction Bags are available in capacities of 1000 ml, 2000 ml and 3000 ml. SERRES Suction Bags and other products of the system including accessories are CE-marked and PVC-free.

The aesthetic design of the SERRES Suction Bag System is enhanced by reusable Canisters in transparent or blue. Easy to read due to their wide measuring scale the 2000 ml and 3000 ml canisters are round-shaped and include reusable angle connectors. Oval-shaped Canisters of 1000 ml for smaller needs and a flushing Canister are also available. The Canisters and angle connectors can be washed at 85°C and autoclaved at 121°C.

SERRES Pre-Gelled is designed for demanding clinical suction processes to solidify blood and other body liquids and excretions. The Pre-Gelled is made to facilitate easier and safer handling of liquids.

SERRES Pre-Gelled prevents spillage. The Pre-Gelled Suction Bag includes 25g of powder per litre. Small dissolving Sachets are packed in sizes of 25g. A 2kg bulk version with a measuring scoop is also available.

Ready To Use Packages

Suction bag + female - female - male - tube

Suction bag		Suction Tube	
Model No.	Suction bag volume	Length	Charrière/inner diameter
57157-23183	1000 ml	1.8 m	CH 25 / 6mm
57157-23303	1000 ml	3.0 m	CH 25 / 6mm
57167-23183	2000 ml	1.8 m	CH 25 / 6mm
57167-23213	2000 ml	2.1 m	CH 25 / 6mm
57167-23303	2000 ml	3.0 m	CH 25 / 6mm
57167-26303	2000 ml	3.0 m	CH 30 / 7 mm
57187-23213	3000 ml	2.1 m	CH 25 / 6mm
57187-26213	3000 ml	2.1 m	CH 30 / 7 mm
57187-23303	3000 ml	3.0 m	CH 25 / 6mm
57187-26303	3000 ml	3.0 m	CH 30 / 7 mm

Suction Bags- Disposable

Model No.	Item	Volume	Patient / Angle Connector
57157	Serres Suction Bag	1000 ml	12 / 7,2 mm
57167	Serres Suction Bag	2000 ml	12 / 7,2 mm
57187	Serres Suction Bag	3000 ml	12 / 7,2 mm
Single Packed Suction Bags			
57157-2	Single packed	1000 ml	12 / 7,2 mm
57167-2	Single packed	2000 ml	12 / 7,2 mm
57187-2	Single packed	3000 ml	12 / 7,2 mm

Suction Bag System Accessories- Reusable

Model Number	Suction bag volume	length
57308	Serres Suction Canister	1000 ml
57309	Serres Suction Canister Blue	1000 ml
57319	Serres Flushing Canister	1000 ml
57328	Serres Suction Canister	2000 ml
57329	Serres Suction Canister Blue	2000 ml
57348	Serres Suction Canister	3000 ml

Trulife

Solidifying Agents

Model No.	Item Connector	Volume Agent	Patient / Angle	Solidifying
57557	Serres Pre-Gelled	1000 ml	12 / 7,2 mm	25 gr
57567-0	Serres Pre-Gelled, Folded	2000 ml	12 / 7,2 mm	25 gr
57587-0	Serres Pre-Gelled, Folded	3000 ml	12 / 7,2 mm	25 gr
Sachet and tub				
57550	Serres Sachet	25gr		
57553	Serres Tub	2kg		

Suction Bag System Accessories- Disposable

Model No.	Name	Volume	Patient / Angle Connector
57247	Serres specimen set	300ml	12/7,2mm
57257	Serres measuring cup	250ml	12/7,2mm
57270	Serres splash-vac + 3m suction tubing		

Trolleys

Model No.	Item
57940	Serres High Trolley for 6 canisters. Made from steel and plastic, five wheels. Two additional connections for regulator and vacuum shift. Height of the canister holder is adjustable. T otal height 120cm.

Model No.	Item
57941	Additional Canister Holder for High Trolley. Increase the suction capacity from 6 to 12 canisters. Adjustable.

Model No.	Item
57945	Serres Low Trolley for 3 canisters. Made from steel and plastic, five wheels. Total height 55 cm.

Trulife



Brackets

Model No.	Item
57820	Serres Wall Bracket, plastic



Model No.	Item
57815	Serres Rail Bracket, plastic. C an be washed at 85°C. Light and round-shaped bracket is easy to install with one hand. Fits 10 or 12 x 25-45 mm rails



Model No.	Item
57817	Serres Wall Bracket, aluminium. Includes fitting screws

Model No.	Item
57818	Serres Rail Bracket, aluminium. Screw tightening. Fits 10 or 25-44 mm rails



Model No.	Item
57825	Serres Table Bracket, aluminium. Screw tightening. Fits table edges 4-28 mm



Model No.	Item
57830	Serres Bed bracket, aluminium. Fastening by hooks

Model No.	Item
57835	Serres Holder 1000, aluminium/stainless steel C an be customised e.g. for anaesthesia machines. Fits for Serres 1000 ml canister

Model No.	Item
57836	Serres Holder 2000, aluminium/stainless steel.Can be customised e.g. for anaesthesia machines. Fits for Serres 2000 ml canister

Connectors

Model No.	Item
57618	Serres Angle Connector for Serres Canister. Re-usable.The grey angle connector is installed in the canister's vacuum connection

Model No.	Item
57620	Serres Twin Connector. Disposable. The green Serres Twin Connector replaces the white patient connector in the lid of the Serres Suction Bag For simultaneous suction from two sites

Model No.	Item
57621	Serres Straight Connector. Disposable. The green Serres Straight C onnector replaces the white patient connector of the Serres Suction Bag if wider-bore suction tubing is used. E xternal diameter of the connector 12,2 mm



Valves

Model No.	Item
57955	Serres Vacuum Shift, plastic. For shifting vacuum between two canisters/lines

Model No.	Item
57958	Serres Valve. This green valve can be used to replace the t-connector in a serial connection, or for use with the smoke filter. Plastic, can be washed at 85°C

Model No.	Item
57959	Serres On-Off Valve. For opening and closing the vacuum line. The blue Serres On-Off Valve is installed in the canister's vacuum connection, to replace the angle connector. Plastic, can be washed at 85°C

Special Products

Model No.	Item
57899	Serres Vacuum Tubing 5m. Re-usable. Made from silicone

Model No.	Item
57831	Catheter Holder. Height 41cm. Inner diameter 4,5 cm. Re-usable. Can be washed at 85°C or autoclaved at 121°C

Model No.	Item
57833	Tube Holder. Fits 10 or 12 mm rails. Re-usable. Can be washed at 85°C or autoclaved at 121°C

Model No.	Item
57702	Bacterial / Viral Filter. Between Serres suction bag and suction source

Stainless Steel Theatre Furniture

Theatre equipment specialist Anetic Aid offer a high range of quality stainless steel furniture. All of the items are designed and produced at their UK manufacturing facility using the latest techniques in engineering.

Instrument Trolleys

All instrument trolleys have fixed down-turned shelves, come complete with stainless steel bright polished frames and use only the recommended gauge 304 stainless steel. All shelves are 2.0mm thick with a 240 silicon grain ultra smooth satin finish. The castors are twin wheel, non-corrosive and ideal for modern clinical areas.

- Frames - Stainless Steel Bright Polished Tube
- Shelves - Stainless Steel Satin Polished Sheet 240 Silicon Grain Ultra Smooth Finish
- Castors 65mm Twin Wheel Polyurethane Tyred non-corrosive Castors

Model No.	Item and Dimensions
25000	Instrument Trolley 450 x 450 x 850mm
25010	Instrument Trolley 600 x 450 x 850mm
25020	Instrument Trolley 750 x 450 x 850mm
25030	Instrument Trolley 900 x 450 x 850mm
25040	Instrument Trolley 1200 x 450 x 850mm
25050	Instrument Trolley 1200 x 600 x 850mm

Optional Features

Model No.	Item
25260	Large Castors 75mm Twin Wheel (set of 4)
25270	Twin Wheel Braking Castors (set of 4)
25280	Swivel Bowl Ring complete with bowl
25290	Rotating Buffers (set of 4)

Dressing Trolleys

Dressing trolleys have fixed up-turned shelves which are ideal for anaesthetic or recovery room areas. Optional swivel bowls for plaster rooms are available on request.

Model No.	Item and Dimensions
25100	Dressing Trolley 450 x 450 x 850mm
25110	Dressing Trolley 600 x 450 x 850mm
25120	Dressing Trolley 750 x 450 x 850mm
25130	Dressing Trolley 900 x 450 x 850mm
25200	Dressing Trolley 450 x 450 x 850mm, c/w Single Drawer
25210	Dressing Trolley 900 x 450 x 850mm, c/w Double Drawer

Surgeon's Stools & Chairs

The gas-lift stools are made in a modular design which allows customers to choose the exact specifications to meet their needs. They are foot-operated, which allows adjustment without compromising the sterile field.

- Base: 5 Star Aluminium Teflon® Coated Finish which is Ultra Clean & Wear Resistant,⌀585mm
- Top: Polished Stainless Steel
- Height Range: 480mm - 680mm
- Castors: 65mm Twin Wheel Polyurethane Tyred Non-Corrosive Castors
- Seat: 380mm Pressure Care Pad Anti Static
- Backrest: Adjustable, Polished Stainless Steel with Anti-Static Pad
- Arm Rest: Polished Stainless Steel with Anti-Static Pad

Model No.	Item
25300	Surgeon's Stool, Castors c/w Cushion
25310	Surgeon's Stool, Stumped Feet c/w Cushion

Optional Features

Model No.	Item
25320	Backrest c/w Pad
25330	Arm Rests c/w Pads
25340	Spare Seat Cushion
25350	Spare Backrest Pad
25360	Spare Arm Pads (Pair)

Transfusion Stands

We supply 2 types of Transfusion Stands from Anetic Aid; A lightweight 5 star based version with superb mobility and a cast iron based version with exceptional stability. Both versions incorporate several important features rarely found on other transfusion stands on the market. These include solid stainless steel poles, an easy-to handle chuck and collet locking mechanism, drainage at the base of the column to prevent fluid build-up and spring damping on the pole. There is a specialist heavy duty Teflon® coated finish on the lightweight base and a unique Acrylic capped antibacterial cover to the heavy base version.

Transfusion Stand 5 Star Base

Transfusion Stand Heavy Base

Four Hook Transfusion Stand

Two Hook Transfusion Stand

5 Star Base Version

- Base: 5 Star Aluminium Teflon® Coated Finish which is Ultra Clean & Wear Resistant,⌀585mm
- Column and Pole: Bright Polished Stainless Steel
- Height Range: 1470mm - 2440mm
- Castors: 65mm Twin Wheel Polyurethane Tyred Non-Corrosive Castors
- Weight: 5kg

Heavy Cast Base Version

- Base: Cast Iron, Acrylic capped vacuum-formed cover, Antibacterial,⌀570mm
- Column and Pole: Bright Polished Stainless Steel
- Height Range: 1470mm - 2440mm
- Castors: 65mm Twin Wheel Polyurethane Tyred Non-Corrosive Castors
- Weight: 17kg

Model No.	Item
25400	Transfusion Stand 5 Star Base c/w 2 Hooks
25410	Transfusion Stand Heavy Base c/w 2 Hooks
25420	Transfusion Stand 5 Star Base c/w 4 Hooks
25430	Transfusion Stand Heavy Base c/w 4 Hooks

Surgeon's Platforms

Designed to allow full surgical access, these platforms achieve maximum stability by using only 4.5mm nonslip aluminium treadplate.

- Frame: Stainless Steel Electropolished
- Platform: Aluminium 4.5mm Nonslip Treadplate.

Model No.	Item
25800	Surgeon's Platform

Item	Dimensions
Frame	H:190x W:300x L:760mm
Platform	H:190x W:300x L:610mm

Trulife

Mayo Tables

Supplied with 2 base options, both weighted for exceptional stability. Mayo tables are manufactured to a traditional design and recognised for their ease of use and functionality.

Model No.	Item	
25500	Mayo Table 4 Castors	
25510	Mayo Table 2 Castors, 2 Flattened Feet	
Dimensions		
Height Range: 870mm x 1220mm	Base Width: 495mm	Base Length: 670mm
Height to top of base: 225mm	Tray Size:510 x 380 x 25mm	

Hydraulic Mayo Table

The practical instrument table; easy height adjustment using a foot pedal. Foot pedal protected with conductive rubber. Solid, seamless, deep-moulded tabletop with rounded corners and edges, rotating and lockable. Wear and contact discolouration resistant, corrosion-resistant, double-wheel plastic castors, 2 of them electrically conductive (3 castors ø75 mm).

Model No.	Item	Dimensions	Weight
543 270	Tabletop: 640 x 440 mm	640 x 440 x 950/1350 mm	30 kg
543 271	Tabletop: 740 x 540 mm	740 x 540 x 950/1350 mm	31 kg

Model Tübingen

This extra-large tabletop has enough room for all instruments. Wear-resistant, corrosion-resistant, double ball-bearing plastic castors (4 castors ø125 mm, 2 of them lockable); conductive, extra-large tabletop, rotates 360°, lockable.

Model No.	Item	Dimensions	Weight
543 269	Tubingen	1200 x 600 x 950/1350mm	43 kg

Bowl Stands

Manoeuvrable and functional, these models are made with the highest grade materials, electropolished and manufactured with a Teflon® coated 5 star base to ensure maximum stability.

Model No.	Item	Dimensions
25600	Bowl Stand Single	H:860x W:495x L:495mm
25610	Bowl Stand Double	H:860x W:495x L:755mm

Bowl Kickabouts

Manoeuvrable and functional, these models are made with the highest grade materials, electropolished and manufactured with a Teflon® coated 5 star base to ensure maximum stability.

Model No.	Item	Dimensions
25700	Kickabout Bowl	H:230x W:370x L:370mm
25710	Kickabout Bucket	H:330x W:370x L:370mm

APT Tourniquet

The APT Tourniquet is a dual channel self-compensating tourniquet inflation unit. The separate channels are indicated as A & B and are colour coded blue and black. The colour coding is applied also to the cuff supply hosing to avoid confusion during use. Both channels can be used simultaneously, whilst remaining independently operated. Each channel has two secondary gauges, one for pre-selection of cuff pressure and the other showing actual cuff pressure on inflation. Available with both piped service and 'E' size cylinder options.

- Precision controlled quality pressure regulators
- Automatic timers independently activated through inflate/deflate mode
- Twin gauges ensure accurate pressure settings
- Available with both piped service and 'E' size air cylinder options

Model No.	Item and Dimensions
40040	APT Pneumatic Tourniquet Control Unit
40100	Mobile Stand
	Please specify Main Air Lead required
68554	3 Metre, 4 Bar Probe
68512	3 Metre, 7 Bar Probe

Cylinder Mounting Attachment

Model No.	Item
40130	4 Bar Attachment (suitable for use with E size cylinder)
40140	7 Bar Attachment (suitable for use with E size cylinder)

AET Electronic Tourniquet

The AET Electronic Tourniquet is ideal for use in Theatre, A & E and Pain Relief Clinics. User friendly, easy to clean with low maintenance costs. Independently operated single or dual channel option colour coded and an integral power supply, automatic timers, screen safety lock, audible alarms, patient's data memory store, it is low maintenance and supplied with a mobile stand and storage facilities.

- State of the art touch screen technology
- Leak compensation facility
- Automatic self test routines
- User friendly and simple to use controls
- Automatic timers
- Screen safety lock
- Audible alarms
- Patient's data memory store
- Low maintenance
- Supplied with mobile stand and storage facilities

Model No.	Item
40050	AET Electronic Tourniquet Contron Unit
40105	Mobile Stand

Trulife

Accessories

A complete selection of accessories are available including various size tourniquet cuffs, 'Y' connectors and safety connectors. New to the range is the Ultra Clean Tourniquet Cuffs, manufactured with welded seams, these totally sealed units are ideal for the modern hospital environment.

Tourniquet Cuffs 'Premier'.

Model No.	Dimensions	Item
40200	305 x 60mm	Single
40210	305 x 120mm	Double
40220	460 x 100mm	Single
40225	460 x 75mm	Single
40230	460 x 140mm	Double
40240	610 x 100mm	Single
40245	610 x 75mm	Single
40250	610 x 150mm	Double
40260	860 x 100mm	Single
40270	1070 x 100mm	Single

Tourniquet Cuffs 'Six-Use'.

Model No.	Dimensions	Item
40285	305 x 60mm	Paediatric
40288	460 x 75mm	Adult Arm Narrow
40290	460 x 100mm	Adult Arm
40292	610 x 75mm	Small Leg - Narrow
40293	610 x 100mm	Small Leg
40295	860 x 100mm	Adult Leg
40296	1070 x 100mm	XL Adult Leg
40298	1070 x 100mm	Conical Adult Leg

Safety Connectors

Model No.	Item
40600	Male/Female Complete
40610	Female Only
40620	Male Only
40630	Plastic Strip Ties - Pack of 50
40640	'O' Ring Washers - Pack of 50

'Y' Connectors

Model No.	Item
40500	For Compressed Air 4 Bar
40510	For Compressed Air 7 Bar

Tourniquet Cuff Covers

Responding to MDA safety notice MDA SN 1999[26]: we are pleased to offer within our range the new 'Tourniquet Cuff Covers'. From prepping to completion of the procedure, this product helps prevent soloution from reaching the tourniquet from either side, which eliminates skin irritation and allows a clean touniquet for the next procedure.

Tourniquet Cuff Covers

Model No.	Item	
40300	Tourniquet Cuff Covers	Small (box of 30)
40310	Tourniquet Cuff Covers	Large (box of 30)

Foam Cuff Liners

Model No.	Item	
40320	Foam Cuff Liners	Pack of 10

Rhys Davis Exsaguinator

The Rhys Davis Exsanguinator is a simple but effective piece of equipment which allows the exsanguination of limbs for surgery without subjecting the limb to high pressures experienced with some other methods of exsanguination.

Exsanguinators

Model No.	Item
40400	Rhys Davies Exsanguinators
L1112-55	Esmarch Bandages (5.5m)

No Lifting Required

Makes Fowler-Position Transfer Easier

Single-Use Disposables

Patient Transfer Board

Roller-Free Roller Board - better for patients, easier on nurses, and inexpensive.

- No Rollers - Less traumatic transfer for patients
- Comfortable - Soft but sturdy board is easy on patients
- Lightweight - No lifting required, even with your heaviest patients
- No Special Training Requirements - Uses same or similar transfer technique
- Fowler-Position Transfer - Long board allows for transfer in seated position
- Foldable - Long board folds for easy storage and set-up
- Straps - Carry this lightweight device on your shoulder and keep your hands free
- Resilient and Sturdy - More durable than existing boards on the market
- Patient Weight Capacity - 500 lbs. (227 kg)

Model No.	Item
A-83000	Long, Wide Patient Transfer Board 71.5” x 20.5” (180 cm x 52 cm)
A-83005	Long, Narrow Patient Transfer Board 71.5” x 16.5” (180 cm x 42 cm)
A-83001	Short, Narrow Patient Transfer Board 40” x 16.5” (100 cm x 42 cm)

Ultra-Lightweight

Comfort Strap

The Comfort Strap is a disposable padded strap that can be used to securely position any size patient, in any position on any table. It can also be used to further secure patients limbs in accessories including armboards, hand surgery tables or boot stirrups or it can be used to safely secure IV’s and catheters.

- Soft and Comfortable
- Easy to Use
- Hygienic
- Versatile
- Saves Time

Model No.	Item	Dimensions
930163	Comfort Strap (Alistrap) Roll	Length 760mm, Width 50mm

Trulife

Easy Irrigation Tower

" Lift-Assist™" Neutralises Irrigation Bag Weight

Four independently adjustable hooks each safely support up to 10,000cc of fluid. Comfortable, quick release knobs permit vertical adjustment of hangers from 51⁄2' to 81⁄2'. (167.5 cm x 259 cm). This nurse friendly design makes it easy for all personnel to operate effortlessly.

- Stable - our tower doesn't require sandbags or special weights to stay up
- Nearly Effortless - lift-assist makes vertical adjustment easy
- Simple - spring design
  - NO complicated hydraulics to fail
  - NO battery to remember to charge
- High Capacity - holds up to 40,000cc (10,000cc max capacity per hook)
- User-Friendly - easy-to-reach hangers range from 51⁄2' to 81⁄2' (1.67 m x 2.59 m)
- Convenient - four independently adjustable hooks
- Ergonomic - comfortable, quick-release knobs

Model No.	Item
O-LPA	Easy Irrigation Tower

Lift-Assist
Unique spring-loaded elliptical knob unlocks when squeezed and locks securely in place when released. The lift-assist articulation is done mechanically, there are no hydraulics or batteries to fail.

Accuracy
The hanger height is displayed in inches and centimeters for your convenience.



Pre-Op Glove

It is used to safely and effectively remove hairs when shaving patients pre-operatively. No longer will staff need to use expensive surgical tape to remove hairs. Simply insert the hand into the glove, remove the adhesive backing and move the glove around the shaved area to pick up the hairs, then dispose of the glove.

- Simple and Easy to use
- Effective removal of hair
- Eliminates costly use of surgical tape
- Saves time
- Hygienic

Model No.	Item
POG001	Pre-Op Glove / Box 500

Trulife



Famos F108 Series Rotary Heat Sealer

The F108 series represents the basic models within the Famos rotary heat sealing range, but at the same time these are the most sophisticated models of their kind around the world. Each model has an accurate sealing temperature setting by means of a keyboard which has an LCD display with a good visual read out.

- Completely made of stainless steel
- Conveniently arranged LCD-display and keyboard
- Microprocessor controlled
- In order to increase the convenience of the user even further, a (roller) front table is available as an accessory

Model No.	Item
30.100.207	The F108: this model is the standard
30.100.208	The F108T: is equipped with a production counter with audible alarm
30.100.209/10	The F108TI / F108TX: both have an automatic transportation start called “EASS” as well as reverse transportation feature called “RAS” which ensure safety and prevents the instruments from being damaged



Famos F110 Series Rotary Heat Sealer

The second within the Famos rotary heat sealing range is the F110 series, which consists of four models. The F110 series is being used within larger hospitals where many pouches have to be processed continuously.

- Completely made of stainless steel
- Conveniently arranged LCD-display and keyboard
- Microprocessor controlled
- Equipped with Electronic Automatic Start System
- A Return Assistance System
- In order to increase the convenience of the user even further, a (roller) front table is available as an accessory

Model No.	Item
30.100.097	F110 rotary heat sealer
30.100.098	F110 D rotary heat sealer
30.100.099	F110 DEP rotary heat sealer
30.100.100	F110 DBC rotary heat sealer

Roll Holder

Thermo Transfer Label Printer

Matrix Label Printer

Roller Front Table

Famos Accessories

Famos offer the following accessories for its heat sealing equipment:

Roll Holder

Famos produces several stainless steel roll holders that include a self-sharpening cutting device to create the required length of packaging material. Furthermore an extension can be added which doubles the storage capacity of the holder. All roll holders are available as a table model or version that can be attached to the wall or to an upright partition which is fixed to a work table.

Model No.	Item
50.100.140	Roll holder TS 600
50.100.138	Extension OZ 600
50.100.409	Roll holder with extension
50.100.080	Roll holder TS 750
50.100.081	Extension OZ 750
50.100.410	Roll holder with extension
50.100.130	Roll holder TS 900
50.100.131	Extension OZ 900
50.10.411	Roll holder with extension
50.101.118	Roll holder TS1200 with cutting device (table model)
50.101.269	Roll holder TS1500 with cutting device (table model)

Thermo Transfer Label Printer

Can be used with DEP and DBNC models in order to print labels.

Model No.	Item
29.320.054	B-SV4T thermo transfer printer, peel-off unit

Matrix Label Printer

Can be used with DEP and DBC models in order to print labels.

Model No.	Item
29.320.052	Label printer including paper feeder and cables OKI microline 3390

Front Table

Stainless steel roller front tables are available as an accessory to the rotary heat sealers. These tables provide a smooth supporting platform for the packaging material while sealing.

Model No.	Item
30.200.040	Front Table F108
30.200.004	Front Table F110

Roller Front Table

As an accessory for the rotary heat sealers, stainless steel roller front tables are available. These tables provide a heat sealing supporting platform. The rollers guide heavy packaging more easily through the heat sealing machine and prevent the heavy weight from causing bad seals.

Model No.	Item
30.100.047	Roller Front Table F108
30.100.034	Roller Front Table F110

Trulife offer a more extensive range of heat sealing products and accessories, for more information please contact your local Trulife sales representative.

Trulife

Wistainer System Sieve Tray XL in DIN-StU-Standard ®

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Double peripheral safety frame
- Stackable

Model No.	Item	Dimensions L x D x H
22.216.2003	System sieve tray 1/1 XL68	265 x 500 x 68 mm
22.216.2005	System sieve tray 1/1 XL113	265 x 500 x 113 mm
22.216.2004	System sieve tray 1/2 XL68	265 x 250 x 68 mm
22.216.2022	System sieve tray 1/2 XL113	265 x 250 x 113 mm
22.216.2041	System sieve tray SET 1/1 XL68/68 (2 x tray, 2 x clip)	265 x 500 x 136 mm
22.216.2044	System sieve tray SET 1/1 XL68/113 (2 x tray, 2 x clip)	265 x 500 x 181 mm
22.216.2047	System sieve tray SET 1/1 XL113/113 (2 x tray, 2 x clip)	265 x 500 x 226 mm
22.216.2042	System sieve tray SET 1/2 XL68/68 (2 x tray, 2 x clip)	265 x 250 x 136 mm
22.216.2045	System sieve tray SET 1/2 XL 68/113 (2 x tray, 2 x clip)	265 x 500 x 181 mm
22.216.2048	System sieve tray SET 1/2 XL113/113 (2 x tray, 2 x clip)	265 x 250 x 226 mm



System sieve tray 1/1 XL68, Item number: 22.216.2003

System sieve tray SET XL 113/113
Item number: 22.216.2048

Construction
Mesh size: 5 x 5 x 1 mm
Wire gauge stacking frame: 4 mm
Wire gauge safety frame: 4 mm
Wire gauge base frame: 5 mm

Wistainer® System Sieve Tray SL in DIN-StU-Standard

- Chromium-nickel steel 18/10
- Material 1.4301
- Electro-polished
- Double peripheral safety frame
- Stackable

Model No.	Item	Dimensions L x D x H
22.216.2051	System sieve tray 1/1 SL50	250 x 480 x 50 mm
22.216.2071	System sieve tray 1/1 SL70	250 x 480 x 70 mm
22.216.2052	System sieve tray 1/2 SL50	250 x 240 x 50 mm
22.216.2072	System sieve tray 1/2 SL70	250 x 240 x 70 mm
22.216.2053	System sieve tray SET 1/1 SL50/50 (2xTray, 2xClip)	250 x 480 x 100 mm
22.216.2083	System sieve tray SET 1/1 SL50/70 (2xTray, 2xClip)	250 x 480 x 120 mm
22.216.2073	System sieve tray SET 1/1 SL70/70 (2xTray, 2xClip)	250 x 480 x 140 mm
22.216.2054	System sieve tray SET 1/2 SL50/50 (2xTray, 2xClip)	250 x 240 x 100 mm
22.216.2084	System sieve tray SET 1/2 SL50/70 (2xTray, 2xClip)	250 x 480 x 120 mm
22.216.2074	System sieve tray SET 1/2 SL70/70 (2xTray, 2xClip)	250 x 240 x 140 mm

System sieve tray SET 1/1 SL50/50
Item number: 22.216.2053

Construction
Mesh size (height = 50mm): 4 x 4 x 1 mm
Mesh size (height >50 mm): 5 x 5 x 1 mm
Wire gauge stacking frame: 4 mm
Wire gauge safety frame: 4 mm
Wire gauge base frame: 4 mm

Flat lid for system sieve tray 1/1 SL
Item number: 22.216.2230

Construction
Mesh size 4 x 4 mm;
Maschenweite 4 x 4 mm;
alternatively without clips, with
attached clips or with removable clips

Accessories for System Sieve Trays SL

Flat lid for system sieve tray SL

- Stainless steel 18/10
- Material 1.4301
- Burr free
- Electro-polished
- Double peripheral safety frame

Model No.	Item	Dimensions L x D x H
22.216.22305	Flat lid for system sieve tray 1/1 SL50 (with 2 attached clips)	482 x 241 x 8 mm
22.216.22306	Flat lid for system sieve tray 1/1 SL50 (with 2 removable clips)	482 x 241 x 8 mm
22.216.22307	Flat lid for system sieve tray 1/1 SL70 (with 2 attached clips)	482 x 241 x 8 mm
22.216.22308	Flat lid for system sieve tray 1/1 SL70 (with 2 removable clips)	482 x 241 x 8 mm
22.216.22315	Flat lid for system sieve tray 1/2 SL50 (with 2 attached clips)	242 x 241 x 8 mm
22.216.22316	Flat lid for system sieve tray 1/2 SL50 (with 2 removable clips)	242 x 241 x 8 mm
22.216.22317	Flat lid for system sieve tray 1/2 SL70 (with 2 attached clips)	242 x 241 x 8 mm
22.216.22318	Flat lid for system sieve tray 1/2 SL70 (with 2 removable clips)	242 x 241 x 8 mm

Removable clips. Item number:
22.216.2065

Clips for system sieve tray SL with flat lid

Model No.	Item	Dimensions L x D x H
22.216.2067	System-clip attached, for system sieve tray SL50 with flat lid	59 x 30 x 0.5 mm
22.216.2065	System-clip removable, for system sieve tray SL50 with flat lid	64 x 30 x 0.5 mm
22.216.2068	System-clip attached, for system sieve tray SL70 with flat lid	79 x 30 x 0.5 mm
22.216.2066	System-clip removable, for system sieve tray SL70 with flat lid	84 x 30 x 0.5 mm

2 x System baskets 1/2-204 with
handle opening Item number:
22.216.2122

System basket 1/1-150 with handle
opening. Item number: 22.216.2100

Construction
Mesh size base: 24 x 24 mm
Mesh size sides: 24 x 70 mm
Wire gauge grid: 2.4 mm
Wire gauge stacking frame base: 5.0 mm

System-Baskets ML in StU-Standard

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Double peripheral safety frame
- Stackable

Model No.	Item	Dimensions L x D x H
22.216.2100	System basket 1/1 150 with handle opening	295 x 580 x 150 mm
22.216.2101	System basket 1/1 150 with handle opening, transport. lock	295 x 580 x 150 mm
22.216.2102	System basket 1/2 150 with handle opening	295 x 300 x 150 mm
22.216.2103	System basket 1/2 150 with handle opening, transport. lock	295 x 300 x 150 mm
22.216.2104	System basket 1/1 204 with handle opening	295 x 580 x 204 mm
22.216.2105	System basket 1/1 204 with handle opening, transport. lock	295 x 580 x 204 mm
22.216.2122	System basket 1/2 204 with handle opening	295 x 300 x 204 mm
22.216.2123	System basket 1/2 204 with handle opening, transport. lock	295 x 300 x 204 mm
22.216.3011	System basket 1/1 250 with handle opening	295 x 580 x 250 mm
22.216.3012	System basket 1/1 250 with handle opening, transport. lock	295 x 580 x 250 mm
22.216.3021	System basket 1/2 250 with handle opening	295 x 300 x 250 mm

System Baskets in ISO Standard

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Double peripheral safety frame
- Stackable

Model No.	Item	Dimensions L x D x H
22.216.3030	System basket ISO 1/1 150 with handle opening	378 x 580 x 150 mm

System basket ISO 150
Item number: 22.216.3030

Construction
Mesh size base: 24 x 24 mm
Mesh size sides: 24 x 70 mm
Wire gauge grid: 2.4 mm
Wire gauge stacking frame base: 5.0 mm

System Tags

- Stainless steel 18/10
- Material 1.4301
- Electro-polished

Model No.	Item	Dimensions L x D x H
22.216.4002	Tagholder SKO for tag 54x39x0.8	42 x 17 x 57 mm
22.216.4007	Tag	39 x 0.8 x 54 mm
22.216.4001	Tagholder SKO for tag 54x85x0.8	89 x 17 x 57 mm
22.216.4008	Tag	85 x 0.8 x 54 mm
22.216.4006	Hanging tag with two hooks	85 x 0.8 x 54 mm
22.216.4003	System tag wide	60 x 9 x 35 mm
22.216.4004	System tag narrow	30 x 9 x 35 mm
22.216.4005	System tag shortened	30 x 6 x 24 mm
22.216.4098	Laser labelling, same text up to 20 characters for 4003, 4004, 4005	
22.216.4099	Laser labelling, variable text up to 20 characters for 4003, 4004, 4005	

Tagholder SKO 42 x 17 x 57
Item number: 22.216.4002

Tagholder SKO 89 with tag. Item number: 22.216.4001+ 22.216.4008

System tag narrow without labeling Item No: 22.216.4003

System tag narrow without labeling. Item No: 22.216.4004



Tagholder SKO
with tag 22.216.4002+ 22.216.4007

Insert for clips
Item no.: 22.216.50041

System Small Parts Sieve Tray SET 1/16 and 1/8

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Double peripheral safety frame

System small parts sieve tray SETs 1/16 and 1/8. Item no.: 22.216.50049 and 22.216.50019

System Small Parts Sieve Tray SET 1/16

Model No.	Item	Dimensions L x D x H
22.216.50049	Mesh size 1 x 1 x 0.5 mm with lid and clips	121 x 73 x 29 mm

System Small Sarts Sieve Tray 1/16

Model No.	Item	Dimensions L x D x H
22.216.5004	Mesh size 1 x 1 x 0.5 mm	121 x 73 x 29 mm

Lid for System Small Parts Sieve Tray 1/16

Model No.	Item	Dimensions L x D x H
22.216.5014	Mesh size 1 x 1 x 0.5 mm	121 x 73 x 7 mm

System Small Parts Sieve Tray SET 1/8

Model No.	Item	Dimensions L x D x H
22.216.50019	Mesh size 1.0 x 1.0 x 0.5 mm with lid and clips	121 x 121 x 29 mm
22.216.50029	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	121 x 121 x 29 mm
22.216.50039	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	121 x 121 x 47 mm

System Small Parts Sieve Tray 1/8

Model No.	Item	Dimensions L x D x H
22.216.5001	Mesh size 1.0 x 1.0 x 0.5 mm	121 x 121 x 29 mm
22.216.5002	Mesh size 2.5 x 2.5 x 0.7 mm	121 x 121 x 29 mm
22.216.5003	Mesh size 2.5 x 2.5 x 0.7 mm	121 x 121 x 47 mm

Lid for System Small Parts Sieve Tray 1/8

Model No.	Item	Dimensions L x D x H
22.216.5011	Mesh size 1 x 1 x 0.5 mm	121 x 121 x 7 mm
22.216.5012	Mesh size 2.5 x 2.5 x 0.7 mm	121 x 121 x 7 mm

Accessories for System Small Parts Sieve Trays 1/8 & 1/16

Crosswise Divider for Small Parts Sieve Tray 1/16, 1/6 and 1/3 incl. 2 Clips

Model No.	Item	Dimensions L x H
22.216.8924	Mesh size 1 x 1 x 0.5 mm	61.5 x 24 mm

Insert for Clips (for system small parts sieve tray 1/16)

Model No.	Item	Dimensions L x D x H
22.216.50041	Made of chromium-nickel steel 18/10, electro-polished for the placement of smallest clips and clamps	107 x 59 x 16 mm

System Small Parts Sieve Tray 1/6 with Accessories

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Tray and lid with patented double frame for safe and secure handling.



System small parts sieve tray SET with 2x silicone mounting Ø5/10 for optics 2x.
Item no.: 22.216.80039 + 22.216.4102

Holder for trays 1/3 and 1/6 with silicone mountings and clips

System Small Parts Sieve Tray SET 1/6

Model No.	Item	Dimensions L x D x H
22.216.80069	Mesh size 1.0 x 1.0 x 0.5 mm with lid and clips	236 x 73.5 x 28 mm
22.216.80039	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	236 x 73.5 x 47 mm

System Small Parts Sieve Tray 1/6

Model No.	Item	Dimensions L x D x H
22.216.8006	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 73.5 x 28 mm
22.216.8003	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 73.5 x 47 mm

Lid for System Small Parts Sieve Tray 1/6

Model No.	Item	Dimensions L x D x H
22.216.8012	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 73.5 x 7 mm
22.216.8013	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 73.5 x 7 mm

System Small Parts Sieve Tray SET 1/6XL

Model No.	Item	Dimensions L x D x H
22.216.80079	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	296 x 73.5 x 47 mm

System Small Parts Sieve Tray 1/6XL

Model No.	Item	Dimensions L x D x H
22.216.8007	Mesh size 2.5 x 2.5 x 0.7 mm	296 x 73.5 x 47 mm

Lid for System Small Parts Sieve Tray 1/6XL

Model No.	Item	Dimensions L x D x H
22.216.8017	Mesh size 2.5 x 2.5 x 0.7 mm	296 x 73.5 x 7 mm

Accessories for System Small Parts Sieve Tray 1/6 & 1/6XL

Set of Holders 1/6 and 1/6XL

For 22.216.8003, 22.216.80039, 22.216.8007 and 22.216.80079
to accomodate optics etc.
The set consists of: 2 x holder, 2 x silicone mounting, 4 x T-clip.

Model No.	Construction	Dimensions
22.216.4105	For 1 optic	Ø 5
22.216.4100	For 1 optic	Ø 10
22.216.4102	For 2 optics	Ø 5/10

System small parts sieve tray SET 1/4 Item No: 22.216.60019 with length-wise divider Item No: 22.216.6021.

System Small Parts Sieve Trays 1/4

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Trays, lids and dividers with double peripheral safety frame

System small parts sieve tray SET 1/4, item No: 22.216.60019. with set of holders for MIC-instruments iltem No: 22.216.4130

System Small Parts Sieve Tray SET 1/4

Model No.	Item	Dimensions L x D x H
22.216.60019	Mesh size 1.0 x 1.0 x 0.5 mm with lid and clips	236 x 121 x 28 mm
22.216.60029	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	236 x 121 x 28 mm
22.216.60039	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	236 x 121 x 46 mm

System Small Parts Sieve Tray 1/4

Model No.	Item	Dimensions L x D x H
22.216.6001	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 121 x 28 mm
22.216.6002	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 121 x 28 mm
22.216.6003	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 121 x 46 mm

Lid for System Small Parts Sieve Tray 1/4

Model No.	Item	Dimensions L x D x H
22.216.6011	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 121 x 7 mm
22.216.6012	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 121 x 7 mm

Accessories for System Small Parts Sieve Trays 1/4

Lenghtwise Divider for System Small Parts Sieve Tray 1/4 incl. 2 clips

Model No.	Item	Dimensions L x H
22.216.6021	Mesh size 1.0 x 1.0 x 0.5 mm	224 x 24 mm
22.216.6022	Mesh size 2.5 x 2.5 x 0.7 mm	224 x 24 mm

Crosswise Divider for System Small Parts Sieve Tray 1/4 incl. 2 clips

Model No.	Item	Dimensions L x H
22.216.6031	Mesh size 1.0 x 1.0 x 0.5 mm	109 x 24 mm
22.216.6032	Mesh size 2.5 x 2.5 x 0.7 mm	109 x 24 mm

Silicone Mountings for System Small Parts Sieve Tray 1/4 Crosswise

Model No.	Item
22.216.4130	Set of holders for MIC-instruments

(1x fir tree silicone-mounting, 1x slot-type silicone-mounting, 2 x holders, 4x T-clips)

System Small Parts Sieve Tray 1/3

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Trays, lids and dividers with double peripheral safety frame

System small parts sieve tray SET 1/3, item No: 22.216.80049 with Set of holders for 1 optic Ø 10 mm item No: 22.216.4100

Holder for trays 1/3 and 1/6 with silicone mountings and clips

System Small Parts Sieve Tray SET 1/3L

Model No.	Item	Dimensions L x D x H
22.216.80049	Mesh size 1.0 x 1.0 x 0.5 mm with lid and clips	466 x 73.5 x 28 mm
22.216.80019	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	466 x 73.5 x 47 mm

System Small Parts Sieve Tray 1/3L

Model No.	Item	Dimensions L x D x H
22.216.8004	Mesh size 1.0 x 1.0 x 0.5 mm	466 x 73.5 x 28 mm
22.216.8001	Mesh size 2.5 x 2.5 x 0.7 mm	466 x 73.5 x 47 mm

Lid for System Small Parts Sieve Tray 1/3L

Model No.	Item	Dimensions L x D x H
22.216.8014	Mesh size 1.0 x 1.0 x 0.5 mm	466 x 73.5 x 7 mm
22.216.8011	Mesh size 2.5 x 2.5 x 0.7 mm	466 x 73.5 x 7 mm

Accessories for System Small Parts Sieve Tray 1/3L

Lenghtwise Divider for System Small Parts Sieve Tray 1/3L incl. 2 Clips

Model No.	Item	Dimensions L x D x H
22.216.8934	Mesh size 1.0 x 1.0 x 0.5 mm	454 x 24 mm

Crosswise Divider for System Small Parts Sieve Tray 1/3L incl. 2 Clips

Model No.	Item	Dimensions L x D x H
22.216.8924	Mesh size 1.0 x 1.0 x 0.5 mm	61.5 x 24 mm

Set of Holders 1/3L

for 22.216.8004 and 22.216.80049 to accommodate optics etc.
Set consists of: 2 x holder, 2 x silicone mountings, 4 x T-clips.

Model No.	Construction	Dimensions
22.216.4105	For 1 optic	Ø 5
22.216.4100	For 1 optic	Ø 10
22.216.4102	For 2 optics	Ø 5/10

System Small Parts Sieve Tray 1/2

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Trays, lids and dividers with double peripheral safety frame

System small parts sieve tray SET 1/2 item number: 22.216.70019 with lenghtwise divider item number: 22.216.6021 and crosswise divider item number: 22.216.8924

System Small Parts Sieve Tray SET 1/2

Model No.	Item	Dimensions L x D x H
22.216.70019	Mesh size 1.0 x 1.0 x 0.5 mm with lid and clips	36 x 236 x 28 mm
22.216.70029	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	236 x 236 x 28 mm
22.216.70039	Mesh size 2.5 x 2.5 x 0.7 mm with lid and clips	236 x 236 x 46 mm

System Small Parts Sieve Tray 1/2

Model No.	Item	Dimensions L x D x H
22.216.7001	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 236 x 28 mm
22.216.7002	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 236 x 28 mm
22.216.7003	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 236 x 46 mm

Lid for System Small Parts Sieve Tray SET 1/2

Model No.	Item	Dimensions L x D x H
22.216.7011	Mesh size 1.0 x 1.0 x 0.5 mm	236 x 236 x 7 mm
22.216.7012	Mesh size 2.5 x 2.5 x 0.7 mm	236 x 236 x 7 mm

Accessories for System Small Parts Sieve Tray 1/2

Lengthwise Divider for System Small Parts Sieve Tray 1/2 incl. 2 Clips

Model No.	Item	Dimensions L x H
22.216.6021	Mesh size 1.0 x 1.0 x 0.5 mm	224 x 24 mm
22.216.6104	Mesh size 2.5 x 2.5 x 0.7 mm	224 x 42 mm

Crosswise Divider for System Small Parts Sieve Tray 1/2 incl. 2 Clips

Model No.	Item	Dimensions L x H
22.216.6031	Mesh size 1.0 x 1.0 x 0.5 mm	109 x 24 mm
22.216.6032	Mesh size 2.5 x 2.5 x 0.7 mm	109 x 24 mm

Trulife

System Small Parts Sieve Tray 1/1 with Dividers

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr-free
- Mesh size: 2,5 x 2,5 x 0,7 mm
- Trays, lids and dividers with double peripheral safety frame

System small parts sieve tray 1/1 with variable partitioning with lid, Item number: 22.216.5100

Model No.	Item	Dimensions L x D x H
22.216.5102	System small parts sieve tray 1/1	480 x 250 x 50 mm
22.216.5112	Lid for System small parts sieve tray 1/1	480 x 250 x 7 mm
22.216.5100	System small parts sieve tray 1/1 with variable partitioning and lid	

(1x lenghtwise divider 1/1, 1x crosswise divider 1/1, 1x crosswise divider 2/3,1x crosswise divider 1/3, 8 x T-clips)

Accessories for System Small Part Tray 1/1

Model No.	Item	Dimensions L x H
22.216.5161	Longitudinal divider 2/3, mesh size 2.5 x 2.5 x 0.7 mm	300 x 43 mm
22.216.5122	Longitudinal divider 1/1, mesh size 2.5 x 2.5 x 0.7 mm	465 x 43 mm
22.216.5141	Crosswise divider 1/3, mesh size 1.0 x 1.0 x 0.5 mm	71 x 43 mm
22.216.5142	Crosswise divider 1/3, mesh size 2.5 x 2.5 x 0.7 mm	71 x 43 mm
22.216.5151	Crosswise divider 2/3, mesh size 1.0 x 1.0 x 0.5 mm	152 x 43 mm
22.216.5152	Crosswise divider 2/3, mesh size 2.5 x 2.5 x 0.7 mm	152 x 43 mm
22.216.5132	Crosswise divider 1/1, mesh size 2.5 x 2.5 x 0.7 mm	232 x 43 mm
22.216.4010	System T-link clips, set of 10	

Several longitudinal and crosswise dividers



Set of holders for storage of urology instruments Item number: 22.216.4131

Accessories for System Small Parts Sieve Trays 1/1

System small part tray 1/1 with set of holders for storage of ENT instruments

Model No.	Item	Dimensions L x D x H
22.216.4132	Set of holders for storage of ENT instruments (3 x holder crosswise, 2 x silicone mounting “fir tree“, 1 x silicone mounting “slot type“, 6 x T-clips)	1/1 crosswise 232 x 43mm

Model No.	Item	Dimensions L x D x H
22.216.4131	Set of holders for storage of “urology” instruments (2 x holder crosswise, 2 x silicone mounting „urology“, 4 x T-clips) to use only with lengthwise divider 1/1 or crosswise divider 1/1	2/3 crosswise 152 x 38 mm

Screw-bank in System small parts sieve tray Item number: 22.216.1100 + 22.216.60039

Screw-Bank

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- For screws up to 40 mm length
- Ruler engraved

Model No.	Item	Dimensions L x D x H
22.216.1100	Screw-bank	215 x 100 x 45 mm
22.216.1111	Lid for Screw-bank	222 x 116 x 7 mm

Screw-tub Item number: 22.216.1110.



Screw-Tub

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Mesh size 1 x 1 x 0.5 mm
- For screws up to 65 mm length
- Ruler engraved

Model No.	Item	Dimensions L x D x H
22.216.1110	Screw-tub with 8 compartments	184 x 135 x 25 mm
22.216.1112	Lid for screw-tub	165 x 135 x 7 mm

Trulife

Storage for Drilling Wires / Kirschner Wires

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- With folding lid
- Teflon bumpers on both sides.
- For a perfect storage and cleaning of drilling/Kirschner wires



Flexible drilling wire dispenser item number: 22.216.1170

Wire dispenser (left) Ø 0.8-1,4 mm Item number: 22.216.1164, and wire dispencer (right) Ø 1.4-3.0 mm Item number: 22.216.1162

Model No.	Item	Dimensions L x H
22.216.1162	Wire dispenser Ø 1.4 – 3.0 mm for wires 150 mm	162 x 96 x 40 mm
22.216.1164	Wire dispenser Ø 0.8 – 1.4 mm for wires 150 mm	162 x 74 x 40 mm
22.216.1166	Wire dispenser Ø 1.4 – 3.0 mm for wires 310 mm	326 x 96 x 40 mm
22.216.1168	Wire dispenser Ø 0.8 – 1.4 mm for wires 310 mm	326 x 74 x 40 mm
22.216.1170	Flexible wire dispenser with variable length incl. socket wrench Ø 1.4 – 3.0 mm for wires 150 – 310 mm	v.l. x 96 x 40 mm

Drilling Wire Dispenser SET

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr free



Drilling wire dispenser SET (single components) Item number: 22.216.1160 + 22.216.8016 + 22.216.8015

Drilling wire dispenser SET Item number: 22.216.1160

Model No.	Item	Dimensions L x D x H
22.216.7600	Drilling wire dispenser SET - Set consisting of the following:	
22.216.8016	1 x System small parts sieve tray 1/6	236 x 74 x 30 mm
22.216.8015	1 x Lid for SSPST 1/6	236 x 74 x 8 mm
22.216.1160	1 x Inlay for drilling wires Ø 0.8 – 3.0 mm	223 x 60 x 25 mm



Construction
Mesh size: 17,5 x 17,5 x 2 mm
Wire gauge upper frame: Ø 4 mm
Wire gauge inner frame: Ø 4 mm
Wire gauge stacking frame: Ø 4 mm (optional)

Optic Trays

Storage of optics/endoscopes via blue silicone chains: 2 chains with 6 balls and 2 chains with 5 balls according to type usable for the placement of one or two optics.

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- Burr free
- Including demountable cover
- Closing clip and double peripheral safety frame



Optic tray Item number: 22.216.1190.

Model No.	Item	Dimensions L x H
22.216.1190	Optic tray 294 for one optic	294 x 84 x 69 mm
22.216.1192	Optic tray 294 for two optics	294 x 84 x 69 mm
22.216.1195	Optic tray 445 for one optic	445 x 84 x 69 mm
22.216.1197	Optic tray 445 for two optics	445 x 84 x 69 mm
22.216.1198	Optic tray 674 for one optic	674 x 84 x 69 mm

Double frame

Sieve Tray in DIN and ISO norm

- Chromium-nickel steel 18/10
- Material 1.4301
- Electro-polished
- Burr free
- Stackable on each other via base frame with drop-type handles
- Mesh size 4 x 4 mm and 5 x 5 from 60 mm height
- Double peripheral safety frame

Sieve tray 1/1-50 (left)
Item number: 22.216.2204
Sieve tray 1/2-50 (Right)
Item number: 22.216.2211.

Model No.	Item	Dimensions L x D x H
22.216.2211	Sieve tray 1/2-50	240 x 250 x 50 mm
22.216.2204	Sieve tray 1/1-50	480 x 250 x 50 mm
22.216.2205	Sieve tray 1/1-70	480 x 250 x 70 mm
22.216.2206	Sieve tray 1/1-100	480 x 250 x 100 mm
22.216.2214	Sieve tray XL-560/50	560 x 250 x 50 mm
22.216.2216	Sieve tray XL-560/70	560 x 250 x 70 mm
22.216.2210	Sieve tray ISO	482 x 340 x 50 mm

Trulife

Accessories for Sieve Trays in DIN and ISO norm

Raised Inlay



Raised inlay tray 1/1-50 Item number: 22.216.2235

Model No.	Item	Dimensions L x D x H
22.216.2232	Raised inlay tray 1/2-50	210 x 230 x 35 mm
22.216.2235	Raised inlay tray 1/1-50	420 x 230 x 35 mm

Construction
Raised inlay tray with mesh size 4 x 4 mm, with distance to base and handles, with double peripheral safety frame.

Cover for Sieve Trays

Model No.	Item	Dimensions L x D x H
22.216.2225	Cover for sieve tray 1/2	240 x 250 x 8 mm
22.216.2224	Cover for sieve tray 1/1	480 x 250 x 8 mm



Cover for sieve tray 1/1 Item number: 22.216.2224

Construction
Cover of chromium-nickel steel 18/10, mesh size 4 x 4 mm, with double peripheral safety frame.

Tray with Perforated Metal Plate Frame

- Chromium-nickel steel 18/10
- Material 1.4301
- Electro-polished
- Burr free
- With perforated metal plate frame and drop-type handles
- Base frame enables trays to be stacked on top of each other



Tray with perforated metal plate frame 1/1-60 Item number: 22.216.21862

Model No.	Item	Dimensions L x D x H
22.216.21861	Tray 1/1-60 without stacking frame 4 x 4 x 1 mm	480 x 250 x 60 mm
22.216.21862	Tray 1/1-65 with stacking frame 4 x 4 x 1 mm	480 x 250 x 65 mm
22.216.21864	Tray 1/1-100 without stacking frame 4 x 4 x 1 mm	480 x 250 x 100 mm
22.216.21865	Tray 1/1-105 with stacking frame 4 x 4 x 1 mm	480 x 250 x 105 mm
22.216.21873	Tray 1/2-60 without stacking frame 4 x 4 x 1 mm	240 x 250 x 60 mm
22.216.21874	Dish tray 1/2-65 with stacking frame 4 x 4 x 1 mm	240 x 250 x 65 mm

Perforated metal plate frame

Construction
Wire gauge upper frame: Ø 5 mm
Wire gauge inner frame: Ø 5 mm
Wire gauge stacking frame: Ø 5 mm (optional)

Sterile-good basket 1/2 StU with handle aperture Item No: 28.216.1000

Construction
Mesh size base: 22 x 22 mm
Mesh size walls: 22 x 40 mm
Carrying capacity: 20 kg

Sterile-Goods Basket DIN-StU and Accessories

- Chromium-nickel steel 18/10
- Material 1.4301
- Electro-polished
- Seamless processed;
- Base frame formed as stacking frame

Model No.	Item	Dimensions L x D x H
28.216.1000	Sterile-goods basket 1/2 StU with handle opening	575 x 280 x 135 mm
28.216.1005	Sterile-goods basket 1/2 StU with handle opening and opening at the longitudinal side	575 x 280 x 135 mm
28.216.1001	Sterile-goods basket 1 StU with handle opening	575 x 280 x 265 mm
28.216.1002	Sterile-goods basket 1 StU with handle opening and opening at the longitudinal side	575 x 280 x 265 mm
28.216.1003	Sterile-goods basket 2 StU with handle opening	575 x 560 x 265 mm

Accessories for Sterile-Goods Baskets

Model No.	Item	Dimensions L x H
28.216.1008	Transverse divider for 1/2 StU	262 x 118 mm
28.216.1009	Transverse divider for 1 StU	262 x 241 mm
28.216.1006	Transverse divider for 1/2 StU (opening at longitudinal side)	255 x 120 mm

Wire-container size 3, Item number: 22.21610178

Wire Container, Attachable

- Stainless steel 18/10
- Material 1.4301
- Electro-polished
- With metal applicators to attach to universal mountings

Model No.	Item size Number	Dimensions L x D x H
22.216.10178	3	350 x 210 x 200 mm
22.216.10188	4	230 x 150 x 125 mm

Module Basket Stainless Steel

To slide in holder walls and guidance elements or mount in a telescopic slide-out, divisible via longitudinal and transverse basket divider, stackable into each other.

- Chromium-nickel steel 18/10
- Material 1.4301
- Manufactured according to ISO norm



Module basket Item number: 22.216.0501

Model No.	Item	Dimensions L x D x H
22.216.0506	Module basket	400 x 300 x 109 mm
22.216.0508	Module basket	400 x 300 x 185 mm
22.216.0500	Module basket	400 x 600 x 109 mm
22.216.0501	Module basket	400 x 600 x 185 mm

Trulife

BLANCO Mobile Assistants

The first step in the sterile supply and disposal cycle is the use of sterile equipment in the operating theatre, in ambulances, or on the ward. Designed to meet the StU standards, The mobile assistants can be moved to the required location quickly – an essential feature in many situations.

- Robust and hygienic
- Manoeuvrable
- Safe



Mobile StU Supply Tables

Seamless 25 x 25 mm CNS 18/10 square tubular construction, tabletop to support StU standard containers, microlized, 30 mm bevel on all sides, inner edge bevelled downwards 45°, 2 pairs of suspended slide-in rail underneath the tabletop: 1 pair of slide-in rails to hold a container lid, 1 pair of slide-in rails to hold a 1 StU container, 4 double antistatic plastic castors (4 castors Ø 75 mm, 2 of them lockable).

No.	Model No.	Item	Design	Dimensions
1	541 415	1 x 1 StU	Tabletop to hold 1 container, 1 StU	395 x 660 x 900 mm
2	541 416	2 x 1 StU	Tabletop to hold 2 containers, 1 StU; solid foot stand made of bend square-type tube over the entire width of the tabletop for maximum tip resistance	660 x 655 x 900 mm
3	542 417	StU disposal table 1StU	Tabletop set into the tubular steel frame, easy to remove	395 x 660 x 900 mm





Mobile, Seamless 25 x 25 mm CNS 18/10 square Tubular Frame Construction

No.	Model No.	Item	Design	Dimensions (WxDxH)
	4 swivel castors Ø 125 mm, 2 of them lockable, with double ball bearings, conductive, non-snag construction and wall deflectors			
4	542 252	Container transport trolley	For easy transportation of one 2 StU basket or two 1 StU baskets,with moulded push bar	675 x 815 x 900 mm

Hook Trolley One Side (3 Pairs of Hooks) and Both Sides (6 Pairs of Hooks)

No.	Model No.	Design	Hook numbers	Dimensions (WxDxH)
5A	542 208	One side, with hooks to hold a maximum of 3 baskets, 1 StU, or comparable items; vertical hook capacity 60 kg per hook; wear and contact, corrosion-resistant, double plastic castors (4 swivel castors Ø 75 mm, 2 of them lockable)	3 pairs of hooks	600 x 460 x 1438mm
	542 209	Both sides	6 pairs of hooks	600 x 670 x 1438mm

Wall-Mounted Hook Rail with 2, 3, 4, 5 & 7 Hooks

No.	Model No.	Design	Hook numbers	Dimensions
5B	542 210	Made of CNS 30 x 20 mm rectangular tubing, with 2 plastic covers	With 2 hooks	Length - 700 mm
	542 211	Welded hooks, distance between hooks 350 mm, Vertical hook capacity 60 kg per hook	With 3 hooks	Length - 1050 mm
	542 212	Holds StU baskets or similar items	With 4 hooks	Length - 1400 mm
	542 213		With 5 hooks	Length - 1750 mm
	542 214	As above, but with 240 mm distance between Holds 7 sterile equipment baskets, 1/2 StU	With 7 hooks	Length - 1600 mm

Multi-Purpose Storage

No.	Model No.	Design	Material	Dimensions (WxDxH)
6	542 222	Seamless construction, holds folded paper	CNS 18/10	610 x 326 x 260 mm

Shoe Rack

No.	Model No.	Design	Material	Dimensions (WxDxH)
7	542 223	Seamless construction, 12 suspension stirrups for max. 6 pairs of shoes, closed wire loops, wire thickness: 6 mm	CNS 18/10 electrolytically polished	600 x 263 x 180 mm

Tubing and Abdominal Cloth Rack

No.	Model No.	Design	Material	Dimensions (WxDxH)
8	542 224	CNS 18/10, seamless construction, 11 welded hooks for anaesthesia tubing and abdominal cloths, offset	CNS 18/10	585 x 94 x 180 mm

Multipurpose Equipment Rack

No.	Model No.	Design	Material	Dimensions (WxDxH)
9	542 225	E.g. for anaesthesia equipment, operating theatre accessories; seamless construction, solid sliding rail 25 x 10 mm	CNS 18/10	600 x 48 x 180 mm

Trulife

Syringe and cannula storage

No.	Model No.	Design	Material	Dimensions (WxDxH)
10	542 226	With 3 acrylic chutes in a stainless steel housing	CNS 18/10	601 x 172 x 245 mm
	542 227	With 5 acrylic chutes in a stainless steel housing	CNS 18/10	601 x 172 x 171 mm

Stainless Steel Specialty Container

No.	Model No.	Design	Material	Dimenions (WxDxH)
11	1550 590	Without lid, seamless, deep-drawn	CNS 18/10	530 x 325 x 100 mm
	1550 592	For BLANCO wire mesh basket	CNS 18/10	530 x 325 x 200 mm
	Holder for stainless steel specialty container above			
	542 228	Seamless construction, holds specialty containers, with storage loop for lid	CNS 18/10	550 x 325 x 320 mm
	Lid			
	550 658	For stainless steel specialty container	CNS 18/10	530 x 325 mm

Syringe and Cannula Storage

No.	Model No.	Design	Material	Dimensions (WxDxH)
12	542 229	Seamless construction, shelf, equipment: with 4 Plexiglas dividers per shelf, adjustable	CNS 18/10	580 x 350 x 275 mm



Suture Material Storage

No.	Model No.	Design	Material	Dimensions (WxDxH)
13	542 230	With 4 shelves, holds max. 20 standard small-pack units	CNS 18/10	600 x 173 x 290 mm



Glove Dispenser

No.	Model No.	Design	Material	Dimensions (WxDxH)
14	542 231	For max. 3 sizes of gloves, 50 pairs each	CNS 18/10	580 x 320 x 260 mm

Writing Desk

No.	Model No.	Design	Material	Dimensions (WxDxH)
15	542 232	Writing surface for nursing staff With front bevel and middle shelf	CNS 18/10	580 x 396 x 244 mm

Trulife

Shelf for Urinal Bottles & Storage for 5 Bed Pans with Lid

No.	Model No.	Design	Material	Dimensions (WxDxH)
16	542 233	Seamless construction holds 5 urinal bottles	CNS 18/10	580 x 276 x 230 mm
	542 234	Holds 5 bedpans and 5 lids		675 x 420 x 230 mm

Storage Shelf with Console

No.	Model No.	Design	Material	Dimensions (WxDxH)
17	542 235	With welded console	CNS 18/10	695 x 350 x 205 mm
	542 236	Seamless construction		695 x 450 x 240 mm
	542 237	Load limit, even distribution: 50 kg		695 x 600 x 275 mm

Universal Plastic and Wire Container Holder

No.	Model No.	Design	Material	Dimensions (WxDxH)
18	542 219	For max. 3 containers size 3	CNS 18/10	550 x 37 x 247 mm
	542 220	For max. 4 containers size 4		550 x 37 x 170 mm
	542 221	For max. 5 containers size 5		550 x 37 x 124 mm

Plastic Containers for use with Universal Holder, Stackable

No.	Model No.	Design	Material	Dimensions (WxDxH)
19	542 238	Size 3 - Blue	Polypropylene	210 x 350 x 200 mm
	542 241	Green		
	542 239	Size 4 - Blue		150 x 230 x 125 mm
	542 242	Green		
	542 240	Size 5 - Blue		100 x 170 x 75 mm
	542 243	Green		

Paper Trolley

No.	Model No.	Description	Materials	Dimensions (WxDxH)
20	542 413	Paper Trolley	CNS 18/10 square-type tube	1345 x 545 x 900mm
	542 414	Paper Trolley-fits under packing table	CNS 18/10	1345 x 545 x 700mm

Trulife

BLANCO CLEANassist
Sterile Supply Solutions

Trulife offers a complete solution for the economical cleaning and sterilisation of instrumentation. All work surfaces are made entirely from stainless steel with a raised profile edge which prevents contaminated water from spilling over. The rear of the work surfaces can also be equipped with a splash back.

Several sizes of sinks are available and these can be supplied according to your particular requirements. All sinks are completely welded and rounded to facilitate cleaning.

We can also supply you with a variety of taps, water spray guns, air guns and plumbing accessories.
For below the work surfaces we can offer compartmented cabinets or shelving. We can also fit out storage in the form of drawers.
sprayed water.

Cleaning

Packing

Transport

Storage

Trulife



BLANCO Pre-Cleaning Stations and Sink Units

Hygienic:
The underside of the stainless steel work surface on the BLANCO cleaning tables has a seamless cladding so that moisture is unable to penetrate. The smooth surface is easy to clean. Optional: A raised profile edge that keeps liquids on the tabletop. This prevents contaminated water from spilling onto the floor. The soft rounding of the profile edge prevents a seam where dirt can collect.

Safe:
Personnel in the unclean area of the central sterile equipment supply department are exposed to a greater risk of infections. With the splash guard in the sink area, BLANCO provides reliable protection against infectious sprayed water.

Ergonomic:
Folding doors and drawers are equipped with plastic handle shells in a stainless steel look, bowshaped handles in stainless steel, or recessed handle shells according to your requirements.

User Friendly:
A fully extendable tray to store containers of cleaners and disinfectants makes handling easier.

For more information on CLEANassist pre-cleaning stations and sink units please contact your local Trulife Sales Representative.

Trulife

BLANCO Packing Tables

Packing tables are available at a standard fixed height of 890mm. There is also the option of electrically operated height adjustable tables. All packing tables can be supplied with uprights to accommodate various storage accessories e.g. wire baskets, plastic boxes, shelves and roll holders with cutters.

Ergonomic:
With height-adjustable tables, the correct working height while sitting or standing can be set at the touch of a button. The height adjustment fully meets workplace safety requirements.

Variable:
Tabletops are available in various materials e.g. stainless steel, corian and formica.

Flexible:
The table upright attachment can be equipped with various StU components.

Bright:
The packing table lighting provides optimal illumination.

Safe:
Meets the requirements of the machinery guidelines.

User Friendly:
Additional storage room is provided, e.g. by base cabinets mounted below the tabletop. Folding doors and drawers are equipped with plastic handle shells in a stainless steel look, bowshaped handles in stainless steel, or recessed handle shells according to your requirements.

Please contact us for specific requests.

Modern: We offer sensible options to accommodate your monitor, keyboard, and PC.

For more information on CLEANassist Packing Table Equipment please contact your local Trulife Sales Representative.

Trulife

Hygienic: The doors have a dust-proof seal, reducing the risk of recontamination.

User Friendly: Frontal docking is secure and easy to handle. Secure docking is always possible. The lock can easily be released by hand.

BLANCO Transport and Storage Solutions

Transport

The shuttle system is an innovative transport system. It can be used anywhere it is required. Since storage in the shuttle transport trolley or fixed shuttle cabinet is possible, there is no need to manually reload the individual sterile equipment systems at the transfer points. Several 100 kg of sterile equipment are placed into the shuttle slide-in rack once after packing, and brought to and through the autoclave this way. They are then stored in the corresponding storage systems until next use. This eliminates excess handling of wrapped equipment.

High quality:
The fully welded transport trolley, the slide-in rack, and the transfer trolley are seamlessly constructed and especially robust.

Manoeuvrable:
The handle positions on the sides permit better power transmission by the user, so that even a fully loaded transport trolley is easy to manoeuvre.

Practical:
Depending on the required storage duration, storage can take place open on a platform or enclosed in a MEGAprogress functional cabinet.

Changing direction:
The shuttle transport system can be moved in two directions. This makes it compatible with any autoclave.

Trulife

Storage

Space-saving storage systems are especially in demand. From enclosed storage in transport trolleys, to pass-through cabinets,to open storage on shelving units, Trulife can offer flexible modular storage systems that are especially tailored to individual requirements.

Cabinet systems:

- Made of powder-coated sheet steel or stainless steel
- Double-walled sandwich construction for maximum stability
- Patented hinge mechanism with locking function for clean storage of sterile equipment
- Flexible interior design, e.g. with shelves, support brackets, or heavy-duty pull-outs

Shelving systems:

- Made entirely of stainless steel
- StU shelves, e.g. with support brackets or pull-outs
- Shelving units with single-walled or double-walled shelf design
- Flexible dimensions for precise adaptation to the respective room
- Height adjustable storage components
- Hygienic construction

For more information on CLEANassist Transport and Storage equipment please contact your local Trulife Sales Representative.

Trulife



Multi-Purpose Trolley

Multi-purpose trolley with 4 insert rails and frame for PC half-module.

- Steel, coated
- Surface: epoxy polyester
- Powder coating light grey RAL 7035
- Open construction
- Perforation spacing 71mm
- Suitable for hook-on insert rails, Number of insert rails variable
- Fits modular baskets in various heights
- 4 swivel castors, ⌀100 mm, 2 with brakes
- Optionally available with worktop

No.	Model No.	Description	Dimensions (L,W,H.mm)
1 & 2	46 440	Multi-purpose trolley	740 × 410 × 1100

Accessories

No.	Model No.	Designation	Dimensions
2	46 270	Insert rail	600mm
	920 880	HPL worktop	

Multi-Purpose Trolley

Multi-purpose trolley with 4 and 5 insert rails and frame for PC half-module.

- Steel, coated
- Surface: epoxy polyester
- Powder coating light grey RAL 7035
- Open construction
- Insert frame for modular baskets
- Optionally with desk top
- With sliding handle
- Prepared for accommodating frames for half-module
- Castors with brakes
- Worktop either made from coreboard or solid plastic

No.	Model No.	No.of insert rails (in accordance with ISO standard)	Dimensions (L,W,H.mm)
3	46 090	4	740 × 445 × 863
4	46 094	5	740 × 445 × 1110
-	349 315	4*	450 × 340 × 800

* For half-modules, not designed for frame for half-module.

Frame for half-module and worktop

- Steel, coated
- Surface: epoxy polyester
- Powder-coating 60 µ, pure white RAL 9010
- Accessories for multi-purpose trolleys 46 090 and 46 094

No.	Model No.	Description	Dimensions (L,W,H.mm)
5	46 095	Frame for half-module and worktop	345 × 445 × 100

Commissioning Trolleys

- Stainless steel, DIN 14 301, electropolished
- Square tubing, dimensions 25 × 25 × 1.5 mm
- Open construction
- Insert rails for modules and modular baskets
- 4 swivel castors, ⌀125 mm, 2 with brakes

No.	Model No.	Description	No. Insert Rails (in accordance with ISO)	Dimensions (L,W,H.mm)
1	46 091	Single-row	10	460 × 645 × 1750
2	46 092	Double-row	20	895 × 645 × 1750
-	46 093	3-row	30	1330 × 645 × 1750

Optional:

- 2 or 4 vertical sliding handles
- Protective cover
- Inquire for details

No.	Model No.	Designation	No. Insert Rails (in accordance with ISO)	Dimensions (L,W,H.mm)
3	46 096*	Single-row	10	460 × 645 × 1750
-	46 097*	Double-row	20	895 × 645 × 1750
-	46 098*	3-row	30	1330 × 645 × 1750

* coated steel version.

Modular Cupboard Trolley W 105

- Wheels with ⌀160 mm and swivel castors with brakes as standard
- Double-row installation frame for ZARGES ISO standard modules
- All insertion levels with ABS support rails for smooth movement of the modules
- Lockable doors, designed to be fitted with a safety lock or a locking system

No.	Model No.	Description	Inside Dimensions (L,W,H.mm)	Outside Dimensions (L,W,H.mm)	Weight (kg)	Contents (approx.1)	Insertion Levels/Rails
1	40 668	Single-row	477 × 610 × 1190	627 × 690 × 1485	50.0	350	1 × 8
2	40 672	Double-row	920 × 610 × 1190	1070 × 690 × 1485	66.0	650	2 × 8
-	40 670	Double-row	920 × 610 × 1190	1070 × 690 × 1485	70.0	650	2 × 16
3	40 671	3-row	1363 × 610 × 1190	1513 × 690 × 1485	83.0	990	3 × 8

Compartment divider

Slide-in unit for trays

Folding base

Trolley underbody

Towing bracket which folds upward & coupling for transport in trolley trains

Multi-Functional Trolley

The multifunctional trolley provides protected, safe and hygienic storage and easy transport of tools, material, laundry, food and many other items. The trolley is made from anodised aluminium and includes ergonomic sliding handles and integrated sealed doors with central locking.
It is smooth running on asymmetrically arranged castors with rubber tyres. A wide variety of equipment and functional accessories make the ZARGES cupboard trolley the solution of choice for internal and external transport and storage problems in hospitals, industry, service companies, government agencies, laundries etc.

Central locking locks doors in the profile-section frame

Cylinder lock available as a series of identical or different locks

Top fender frame with abrasion resistant, disinfectant-proof plastic padding Heat-resistant to 95 °C

The peripheral door seal is suitable for washdown facilities

Each end face with an ergonomic handle, of coated cast aluminium

Central stop with simple operation via connecting pedal

Swivel castors with wheel brake

Also suitable for wash-down facilities if suitable running-gear castors are used

Trulife

- Anodised aluminium cupboard trolley for wide range of applications
- Profile frame with seal, high noise insulation
- Door leaves 3mm thick, with sturdy, non-rusting individual hinges
- Ergonomic sliding handle made from coated cast aluminium
- Central locking (easy-to-operate lever) locks the doors in the profile section frames
- Two doors can be swung open 270° parallel to the end faces, magnetic catch for open doors
- Trolley underbody: Phosphated and powdered torsional tube
- Easy-running, rubber wheels, “non-marking”, roller bearings, thread guards

W 105 Cupboard Trolley (type III) Plus

Practical transport storage trolley, for fresh laundry, dirty washing, many other items.

- Smooth interior; no undercuts/inaccessible areas in washdown facilities (Inside dimensions correspond to clearance dimensions)
- Running gear: 2 swivel & 2 fixed castors Ø200mm, 50mm wide

No.	Model No.	Contents (approx.l)	Inside Dimensions (L,W,H.mm)	Outside Dimensions (L,W,H.mm)	Weight (kg)
W 105 cupboard trolley without interior fittings					
-	40 667	870	1135 × 550 × 1390	1255 × 630 × 1725	62.0
W 105 cupboard trolley with 1 additional shelf					
2	40 669	640	1135 × 550 × 1030	1255 × 630 × 1365	59.0
W 105 with 2 additional shelves and central stop					
1	40 673	870	1135 × 550 × 1390	1255 × 630 × 1725	66.0
W 105 with 2 additional shelves and central stop					
-	40 666*	1080	1250 × 620 × 1390	1370 × 700 × 1725	73.0

* This trolley has space enough for: sterile containers, 600 × 300 × 150 (300) mm, screen containers, 600 × 300 × 130 (150) mm and other container sizes.

W 105 Cupboard Trolley (type I)

Practical transport storage trolley for fresh laundry, dirty washing, many other items.

- Full profile section frame in the interior ; Clearance dimension approx.. 60mm less than inside dimension
- Running gear: 2 swivel & 2 fixed castors Ø200mm, 50mm wide
- One DIN A4 label frame on the inside of the right-hand door

No.	Model No.	Contents (approx.l)	Inside Dimensions (L,W,H.mm)	Outside Dimensions (L,W,H.mm)	Weight (kg)
–	40 681	875	1120 × 550 × 1430	1230 × 625 × 1740	67.0
3	40 682	640	1120 × 550 × 1030	1230 × 625 × 1340	59.0
–	40 683*	875	1120 × 550 × 1430	1230 × 625 × 1740	66.0
4	40 684	1100	1250 × 620 × 1430	1350 × 695 × 1740	73.0
–	40 689	590	750 × 550 × 1430	890 × 625 × 1740	58.0

* swivel castors with wheel brake

W 105 OP Cupboard Trolley (type I)

Aluminium cupboard trolley for transporting sterile fresh-laundry packs, dirty washing.

- Full profile section frame in the interior; Clearance dimension approx.. 60mm less than inside dimension
- Running gear: 4 swivel castors, corner mounted, Ø125mm, 40mm wide
- Two foldable additional shelves with burr-free perforations
- Trolley counter-balanced to a standardised weight of 53 +/- 0.2 KG
- One end face with black lettering field and DIN A4 label frame

No.	Model No.	Contents (approx.l)	Inside Dimensions (L,W,H.mm)	Outside Dimensions (L,W,H.mm)	Weight (kg)
5	40 890	560	835 × 470 × 1430	965 × 545 × 1700	53.0

Steam Penetration Test Sets, for bench-top sterilizers (Class B)

- Accurate and reproducible results
- Best interpretation of color change from yellow to black
- Suitable to be used in conjunction with SASCI™
- Ink is free of any toxic component

Model No.	Item	Description
15.100.069/L	famo/20/BDTPL	Bowie-Dick Test Pack, laminated
15.100.097	famo/100/DDT	Steam penetration test for bench top sterilizers
15.100.098	famo/250/DDT	Steam penetration test for bench top sterilizers



Lot Control Test Set, for Steam/EtO/FO Sterilizers

The Lot Control Test Sets are all based upon Helix type of Process Challenging Devices (PCD´s) in which an integrating chemical indicator is placed.

Available for;

- Steam 134°C / 3,5 min
- Steam 134°C / 5,3 min
- Steam 134°C / 7,0 min
- Steam 134°C / 18,0 min (prion)
- Formaldehyde
- Ethylene-Oxide

Lot Control Test Sets

Model No.	Item	Description
15.100.090	famo/100/D	Lot control test for 134°C/3,5 min
15.100.100	famo/400/D	Lot control test for 134°C/3,5 min
15.100.091	famo/25/D	Lot control test sample set for 134°C/3,5 min
15.100.122	famo/100/D5	Lot control test for 134°C/5,3 min
15.100.123	famo/100/D7	Lot control test for 134°C/7 min
15.100.095	famo/100/D Prion	Lot control test for 134°C/18 min
15.100.231	famo/100/FORM	Lot control test for formaldehyde sterilization
15.100.141	famo/200/FORM	Lot control test for formaldehyde sterilization
15.100.099	famo/100/EO	Lot control test for ethylene-oxide sterilization
15.100.114	famo/200/EO	Lot control test for ethylene-oxide sterilization

Famos Steam Integrators

The famos stem integrators are laminated and comes with a plastic dispenser box. They are available as:

Model No.	Item	Description
15.100.058	Steam/Int.	Steam integrators for 134°C/3,5 min
15.100.064	Steam/Prion	Steam integrators for 134°C/18 min
15.100.065	3 Phase	Three phase sequential integrators for 134°C/3,5 min



SASCI

Chemical Indicators

- Scanning
- Analyzing
- Storing

USB Connection plug & play

- Easiest solution for interpreting and storing of chemical indicators
- Digital database (MYSQL) open source
- Concordant with Windows XP
- Stand-alone or connected to your software
- Reduces human mistakes to zero

Model No.	Item	Description/Package Contents
50.100.011	SASCI	Scanning, analyzing, storing chemical indicators Software, USB Cable, installation CD incl. user manual



1. Key Surgical Instrument Cleaning

Made of the highest quality materials, Key Surgical cleaning brushes are designed to keep your surgical instruments and environment spic and span. With a huge assortment of sizes, shapes, bristle types and configurations, there is no cleaning task that we cannot handle.

2. Key Surgical Tags

Being able to clearly identify and track instruments is of the utmost importance. Key Surgical tags are easy to attach, brightly coloured and clearly readable. For specialised needs, custom tags are available.

3. Key Surgical Instrument Protection

Key Surgical instrument caps protect instruments from wear and tear, keeping them newer for longer. Over time, this saves you money by minimising your repair costs. With an abundance of shapes and sizes, we have a cap that is perfect for all your instrument protection needs.



Trulife

4. Key Surgical Identification Tape

The best way to build instrument sets is with Key Surgical Identification Tape. With over 300 brightly coloured varieties, Key Surgical Identification Tape makes sorting instruments a breeze.

5. Key Surgical Personal Protection

Designed to shield you during sterile processing, Key Surgical offers the absolute best in personal protection. Comfortable face shields, gowns and mitts help to ensure your safety at all times.

6. Key Surgical OR Products

Key Surgical Vascular Booties, Loops and Clamp covers provide unmatched instrument protection and efficient colour-coding that are critical to a smooth running operating room. They are radiopaque and latex free.

Trulife offers an extensive range of Key Surgical products. Please contact your local Trulife sales representative for more information.



Trulife

X-Ray Aprons

BMS Econoline X-Ray Aprons are high-quality lightweight non-lead and lead aprons with 18 fabric choices included, and are offered at discounted prices. Econoline Aprons are made with the same quality materials as Premium aprons but with limited pay-per-option pricing.

F111

Full wrap-around protective apron with 6” wide stretch belt and front buckle closure. Padded shoulders and adjustable lumbar support belt.

- Complete wrap around radiation protection
- Adjustable lumbar support belt
- Front buckle closure
- Distribute weight properly from the shoulders to the hips

PVK

Two-piece, wrap-around apron with back support and stretch Velcro® strap closure. Stretch Velcro® straps cross at lower back to provide lumbar support. Relieves weight on shoulders, reduces overall weight on vest without overlap.

- Complete wrap around radiation protection
- Two-piece vest & kilt
- Stretch black lumbar support
- Front Velcro™ closure

Trulife

VK

Frontal protection apron with criss-cross stretch back and Velcro®. Stretch closure provides greater weight distribution between shoulders and back.

- Complete wrap around radiation protection
- Two-piece vest & kilt
- Front Velcro™ closure

Male Sizes	Chest	Hips	Length	Height
Small	36”	38-40”	36”	5’6”-5’7”
Medium	40”	40”-42”	38”	5’8”-5’10”
Large	44”	44”-46”	40”	6’0”
Extra Large	48”	49”-51”	42”	6’2”

Female Sizes	Chest	Hips	Length	Height
Small	34”	34-36”	34”	5’4”-5’5”
Medium	36”	38”-40”	36”	5’6”-5’7”
Large	38”	42”-44”	38”	5’8”-5’9”
Extra Large	48”	49”-51”	42”	5’10”-5’11”

*Length is measured from the center of the shoulder in the front over the chest and stomach

Apron colours available:



2 Flag Blue, 4 Raspberry, 9 Royal, 10 Maroon, 11 Navy, 15 New Blue, 51 Pink, 54 Purple, 62 Black, 63 Brown



220 Hot, 221 Teal, 401 Splatter Black, 403 Surf Wax, 452 Tie Dye Burst, 459 Digital Cameo, 469 Blue Cougar, 476 Pink Camo

We offer a more extensive range of X-Ray Aprons and Accessories.
For information please contact your local Trulife sales representative.

Thyroid Shield

The most comfortable thyroid protection collars available. All styles available with a tethered ring attachment that allows thyroid shield to stay attached to apron. Thyroid shield may be sewn onto the apron or left separate upon request. Available in 90+ colours.

Model No.	Item
TS2	Standard size thyroid collar, Velcro™ closure fits most people
TS3	50% larger than standard size thyroid collar, Velcro™ closure
TS4	Standard thyroid shield thyroid collar with buckle closure

Gonad Shields

The gonad shields are used for procedures where the patients needs gonadal protection. They are available in triangular or oval shapes in various sizes (adult & child). Available in sets of three or individually. Please Specify Oval or triangle shape.



Model No.	Item
GS Small	Gonad Sheild 4”
GS Medium	Gonad Sheild 6”
GS Large	Gonad Sheild 8”

Trulife

X-Ray Storage

Mobile system for storage of radiation protection clothing, Flexi-Keep™ adds wheels to your radiation protection clothing.

- Practical to use
- Gentle to clothes
- Always close at hand
- Flexible system which we recommend for all our radiation protection clothing, collars, etc

Model No.	Item	No. Of Hangers	Height	Width
10.005	Flexi-Keep™, Standard	5	1460mm	530mm
10.005D	Flexi-Keep™, Standard	10	1460mm	530mm
10.005T	Rail	1-5		530mm
10.010	Flexi-Keep™, Standard	10	1460mm	880mm
10.010D	Flexi-Keep™, Standard	20	1460mm	880mm
10.010T	Rail	1 - 10		880mm
10.110G	Skirt hanger	1		

Item: 10.005

The rail for skirt hangers fits all standard Flexi-Keep™ models. Any number of skirt hangers. State how many hangers you would like when you place your order.

Part no. 10.005 T for 1-5 hangers
Part no. 10.010 T for 1-10 hangers

Skirt hanger
Part no. 10.110 G

Item: 10.005D

Item: 10.010 D

Item: 10.010

Leaded Eyewear

Protecting your eyes from scatter radiation with comfort and style.

ES11 Wiley X® Airborne Glasses

This Wiley X frame has a pronounced curve which protects the entire eye area without the need for side shields. Features a removable foam facial cavity seal (not pictured).

Model No.	Item	Protection	Weight
ES11	Wiley X® Airborne Glasses	0.75mm	69g

Wiley X® P-17 Glasses

This Wiley X frame has a pronounced curve which protects the entire eye area without the need for side shields. Features non-slip rubberized temples and nose piece for added comfort.

Model No.	Item	Protection	Weight
ES17	Wiley X® P-17 Glasses	0.75mm	61g

Wiley X® Airrage Glasses

This Wiley X frame has a pronounced curve which protects the entire eye area without the need for side shields. Features rubberized temples and a removable foam facial cavity seal (not pictured).

Model No.	Item	Protection	Weight
ES96	Wiley X® Airrage Glasses	0.75mm	62g

Phantom Clear Glasses

This model incorporates side shields for added protection from lateral exposure. Features non-slip rubberized temples, nose pieces and a removable foam insert (not pictured) for added comfort.

Model No.	Item	Protection	Weight
ES76S	Phantom Clear Glasses	0.75mm front / 0.5mm side	66g

Tortoise Wrap Glasses

This classic radiation protection frame comes with a silicone non-slip unifit bridge for increased comfort. This frame has excellent peripheral vision with leaded glass side shields.

Model No.	Item	Protection	Weight
ES2	Tortoise Wrap Glasses	0.75mm front / 0.75mm side	94g

Fitover Glasses

A durable and stylish nylon frame that is designed to fit over most styles of prescription eyewear with comfort. Side shields protect the wearer from lateral exposure.

Model No.	Item	Protection	Weight
ES90	Fitover Glasses - Black	0.75mm front / 0.5mm Side	89g
ES91	Fitover Glasses - Tortoise	0.75mm front / 0.5mm Side	89g

NOTE: Trulife offers a more extensive range of leaded eyewear, please contact your local Trulife sales representative for more information.

Trulife





Modular Baskets & accessories - ABS Light Blue

For secure well organised storage and safe stacking.
We offer a choice of two materials:

ABS, light blue
PC, transparent.

- Stackable
- Baskets can bear loads of up to 20 kg
- Medication module up to 15 kg
- Sealed floor providing protection against spilled liquids and dirt particles
- Simple attachment of the label holder, independent of the position of the lengthwise and crosswise dividers
- Can be subdivided as required, visual aid for positioning of dividers
- Designed for fitting in a support wall and on telescopic rails and for drawer stop
- Slots for lengthwise and crosswise dividers

No.	Model No.	Designation	Dimensions (L,W,H)
1	46 000	ABS modular basket	600 × 400 × 200
2	46 005	ABS modular basket	600 × 400 × 100
3	46 011	ABS module	600 × 400 × 50
4	46 200	ABS module (not subdividable)	600 × 400 × 200
5	46 202	ABS module	600 × 400 × 100

Matching Dividers

No.	Model No.	Designation	Dimensions (L,W,H)
6	46 027	Lengthwise divider for 46 000 / 46209	600 × 200
7	46 028	Crosswise divider for 46 000 / 46209	400 × 200
8	46 029	Lengthwise divider for 46 005 / 46 202 / 46208	600 × 100
9	9 46 030	Lengthwise divider for 46 011	600 × 50

Trulife



Label Holder

No.	Description
1	For products and product codes, see next page

Dividers for Modules and Modular Baskets

No.	Description
2	For products and product codes, see page opposite

T-piece (ABS), as Connection

No.	Model No.	Description	Dimensions (L,W,H)
3	46 022	Attached at specified break points	47 × 26 × 28

Drawer Stop, greyish-white, one-piece

No.	Model No.	Description
4	46 026	for modules and modular baskets

Divider Fixing

No.	Model No.	Description	Dimensions (L,W,H)
5	46 060	Steel, blue, powder-coated	25 × 10 × 9

Trulife

Modular Baskets & Accessories - PC Transparent

No.	Model No.	Designation	Dimensions (L,W,H)
1	46 001	PC modular basket	600 × 400 × 200
2	46 010	PC Medi-Modul	600 × 400 × 50
3	446 201	PC module	600 × 400 × 15

Matching Dividers

No.	Model No.	Designation	Dimensions (L,W,H)
4	46 040	Lengthwise divider for 46 001	600 × 200
5	46 041	Crosswise divider for 46 001	400 × 200
6	46 031	Lengthwise divider for 46 010 / 46 204	600 × 50
7	46 032	Crosswise divider for 46 010 / 46 204	400 × 50

PC Submodule and Dividers

No.	Model No.	Designation	Dimensions (L,W,H)
8	46 021	Submodule can be used as insert for modules/modular baskets	240 × 110 × 75
9	46 033	Crosswise divider for submodule	103 × 73 (L × H)





PC Modules with dividers in situ

Label Holder (PC), Transparent, for Paper Labels.

No.	Model No.	Assembly	Dimensions (L,W,H)
10	46 023	Clips onto upper edge of module	80 × 37 × 44

Label Holder (POM), White, Unbreakable, Shock-Resistant.

No.	Model No.	Description	Dimensions (L,W,H)
11	46 020	Can be inserted in slots, clipped onto module edge and dividers	44 × 14 × 63
12	46 024	can be inserted in slot and clipped onto divider	44 × 14 × 63





MPO² Mobile Care and Organization Cabinet

Our new mobile care and organization cabinet (MPO²) allow quick, easy and optimum adaptation of your rooms to suit a wide range of situations.

- Open or closed construction
- Two different depths
- Three different heights
- 1 ISO or 2 ISO widths
- 12 possibilities for you
- Aluminium construction
- A choice of 4 colour schemes



Trulife

No.	Model No.	Designation	Inside Dimensions (L,W,H)	Outside Dimensions (L,W,H)	Weight (kg)
1	46 420	MPO² 600/1800	607 × 460 × 1490	685 × 546 × 1800	46.0
2	46 421	MPO² 600/1500	607 × 460 × 1190	685 × 546 × 1500	43.0
3	46 422	MPO² 600/900	607 × 460 × 590	685 × 546 × 900	39.0
4	46 423	MPO² 400/1800	407 × 660 × 1490	485 × 746 × 1800	48.0
5	46 424	MPO² 400/1500	407 × 660 × 1190	485 × 746 × 1500	45.0
6	46 425	MPO² 400/900	407 × 660 × 590	485 × 746 × 900	40.0
7	46 426	MPO² 1200/1800	2 × (607 × 460 × 1490)	1372 × 546 × 1800	77.0
8	46 427	MPO² 1200/1500	2 × (607 × 460 × 1190)	1372 × 546 × 1500	72.0
9	46 428	MPO² 1200/900	2 × (607 × 460 × 590)	1372 × 546 × 900	69.0
10	46 429	MPO²800/1800	2 × (407 × 660 × 1490)	972 × 746 × 1800	80.0
11	46 430	MPO² 800/1500	2 × (407 × 660 × 1190)	972 × 746 × 1500	77.0
12	46 431	MPO² 800/900	2 × (407 × 660 × 590)	972 × 746 × 900	69.0



RAL 3020, red | RAL 6019, green | RAL 1017, saffron yellow | RAL 5024, blue

Trulife

No.	Model No.	Designation	Dimensions (L,W,H)
13	46 204	ABS modular drawer	400 × 600 × 75/95
14	46 205	ABS modular drawer	400 × 600 × 125/145
15	46 208	ABS modular drawer	600 × 400 × 125/145
16	46 209	ABS modular drawer	600 × 400 × 225/245
17	46 019	Label holder, horizontal format	65 × 15 × 42
18	920 880	Roller door	Heights to fit MPO²
19	46 438	Deflectors	4 per MPO²

Note: For further accessories, see pages 13 / 14 and 17 / 18, e.g. lengthwise and crosswise dividers.



BLANCO Functional Trolleys

Mobile assistants for everyday clinical use. There are extensive trolley configurations available in the MEGAdrive product range which includes a large selection of functional accessories that adds to the style and functionality of the range. We attach great value to the harmony of stylish design and absolute functionality.

The trolleys are sturdy and robust, and are made of high quality materials which meet all current hygienic requirements. Visually, MEGAprogress cabinet systems and the trolleys in the MEGAdrive series match. In order to guarantee optimal handling, we are happy to accommodate individual customer requests when it comes to the design of the trolleys.

Our product programme MEGAdrive includes the following trolleys:

- DIN Bandage and Treatment Trolleys
- ISO module bandage and Treatment Trolleys
- Anaesthesia Trolleys
- Emergency Trolleys
- ICU Trolleys
- Nappy Changing Trolleys

Trulife

BLANCO MEGAprogress

Room for Even the Most Demanding Requirements

The BLANCO MEGAprogress functional cabinet product line consists of high cabinets, base cabinets, mobile cabinets, wall cabinets, top-mounted cabinets, basins and worktops. Discover the broad range of possibilities in the wide world of MEGAprogress

- Made of powder-coated sheet steel or stainless steel
- Impact and scratch resistant
- Innovative MEGAclick accessory system
- Hygienic, easy-to-clean, disinfectant-resistant
- Energy-saving LED interior lighting
- Electronic lock system for maximum security
- Flexible marking system for better organisation

To discuss your requirements further please contact your local Trulife sales representative.

Modular Room System for OT and Intensive Care Units

Trulife and HT Labor + Hospitaltechnik AG work together with planners, in close partnership with leading hospitals and laboratories to achieve one aim: To develop new solutions and to optimize existing ones in order to help our customers to improve the quality and efficiency of their work.

Design
Made of individual modular panels, with a maximum join width of 8mm. The partition wall system design facilitates the dismantling of any individual panel, to provide easy access or later installations, alterations or repair work.

Surfaces
Stainless Steel, type 304 (18/10), ground with grain size 240.
Stainless Steel, type 304 (18/10), with Powder-coated.

Requirements
(We have an official state certificate of inspection for the following requirements).

Hygiene
Exposed surfaces which might cause hygienic problems are macroscopically smooth and free from pores.

X-Ray Protection
The double panelled wall system has an x-ray protection lead equivalent of 0.6mm at 150 KV). Higher lead equivalents can be achieved by using thicker lead sheeting.

Fire Protection
The wall system is made of a non-flammable A-material. In the case of fire, there is no development of gases that could become a health hazard. The double panelled wall system us in accordance with DIN 4102 part 2, fire resistant class F90A.

Noise Protection
The single panelled wall system (without mineral fibre) has a noise insulation rate of R'w 44 Db. The double panelled wall system (with mineral fibre) has a noise insulation rate of R'w 56 Db.

For more information please contact your local Trulife sales representative.

Trulife

Trulife

A

Abduction Wedge 28
Accessory Cart 39
Accessory Trolley 38
Allen Bow Frame 18
Allen Bow Frame - Allen Foam Head Block 19
Allen Bow Frame - Bow Frame Cart 19
Allen Bow Frame - Bow Frame Skin Care Covers Kit 19
Allen Bow Frame - Bow Frame Skin Care™ Covers 19
Allen Bow Frame - Bow Frame Standard Covers 19
Allen Bow Frame - Crank Arm 19
Allen Bow Frame - Foam Head Block Stand 19
Allen Bow Frame - Replacement Pad Set 19
Allen Hug-U-Vac Lateral Disposable Covers 32
Allen Hug-U-Vac Steep Trend Positioner 33
Allen Hug-U-Vac Steep Trend Positioner Disposable Covers 33
Allen Large Security Strap 32, 33
Allen Lift-Assist Chair - Arm Positioner 22
Allen Lift-Assist Chair - Beach Chair Cart 22
Allen Lift-Assist Chair - Counter-Traction Strap 22
Allen Lift-Assist Chair - Easy Lock Socket 22
Allen Lift-Assist Chair - Intubation Plate and Pad 22
Allen Lift-Assist Chair - Lift-Assist Beach Chair Clamp 22
Allen Lift-Assist Chair - LPS Arm Support 22
Allen Lift-Assist Chair - Multi-Task Armboard 22
Allen Lift-Assist Chair - Reusable Pad 22
Allen Lift-Assist Chair - Universal Head Positioner 22
Allen Lift-Assist Chair - Universal Head Restraint Disposables 22
Allen Lift-Assist™ Beach Chair 20
Allen Shoulder Supports 33
Allen Spine System - Advanced Arm Support 15
Allen Spine System - C-Flex Head Positioner System 15
Allen Spine System - Clamshell 15
Allen Spine System - Comfort Cover Disposables 15
Allen Spine System - Comfort Mask Disposables 15
Allen Spine System - Contour Breast Positioner 15
Allen Spine System - C-Prone Head Positioner 15
Allen Spine System - Easy Lock™ Socket 15
Allen Spine System - Flex Frame 15
Allen Spine System - Flex Frame Armboard Rail 15
Allen Spine System - Flex Frame/ Table Clamp Set 15
Allen Spine System - Long Accessory Rail 15
Allen Spine System - Prone Arm Supports 15
Allen Spine System - Prone Spinal Leg Pad 15
Allen Spine System - Short Accessory Rail 15
Allen Spine System - Standard Wingset 15
Allen Spine System - Supine Top Pads (2” / 5 cm) 15
Allen Spine System - Supine Top Pads (3” / 7.6 cm) 15
Allen Spine System - Supine Top Set 15
Allen Spine System (Premium System with C-Flex) 14
Allen Spine System (Standard System with C-Prone) 14
Allen Table-Powered Beach Chair 20
Allen Table-Powered Chair - Beach Chair Cart 21
Allen Table-Powered Chair - Beach Chair Clamp 21
Allen Table-Powered Chair - Counter-Traction Brace 21
Allen Table-Powered Chair - Counter-Traction Strap 21
Allen Table-Powered Chair - Easy Lock Socket 21
Allen Table-Powered Chair - Allen Arm Positioner 21
Allen Table-Powered Chair - LPS Arm Support 21
Allen Table-Powered Chair - Multi-Task Armboard 21
Allen Table-Powered Chair - Reusable Pad 21
Allen Table-Powered Chair - Reusable Security Strap 21
Allen Table-Powered Chair - Universal Head Positioner 21
Allen Table-Powered Chair - Universal Head Restraint Disposables 21
Allen Hug-U-Vac Lateral Positioner 32
Arm Positioner-Allen 23
Arm Shield 26
Arm Supports 26
Arm Tables 24
Arm Traction Device 27
Armboard with clamp 26
Armboard-Easy Armboard - Clamshell Armboard Pad 25
Armboard-Easy Armboard - Standard Armboard Pad 25
Armboard-Easy Armboard™ Lift-to-Position 25
Armboard-Easy Armboard™ with Trigger 25
Armboard-Multi-Task Armboard 25
Autoclavable Clamp-Allen 23, 37
Azure Arm Protectors 2, 3, 4, 5
Azure Crutch Stirrup Pad 5
Azure Head Protector 2, 4, 5
Azure Leg Protector 2
Azure Sacral Protector 2, 5
Azure Table Pads 2, 3, 4
Azure Universal Positioner 2, 3, 4, 5

B

Basket-Accessories for sterile-goods baskets 68
Basket-Module Basket Stainless Steel 68
Basket-Sterile-goods basket DIN-StU and Accessories 68
Basket-System Baskets in ISO Standard 57
Basket-System Baskets in ML in StU-Standard 56
Basket-System Tags 57
Bowl Stand-Stainless Steel 47
Brachytherapy Drapes for Uro Catcher System 31
Brackets (for Serres products) 42

C

Carbon Lights™ Hourglass Table 24
Carbon Lights™ Minor Procedures Table 24
C-Flex 45° Starburst Adaptor 16
C-Flex AP-Vantage (with C-Flex System) 16
C-Flex AP-Vantage (without C-Flex System) 16
C-Flex AP-Vantage Leg 16
C-Flex AP-Vantage OR Table Adaptor 16
C-Flex Clean Cape Disposables 16
C-Flex Head Positioner System 16
C-Flex Traction Bar 16

CLEANassist Sterile Supply Solutions-Blanco 73
Comfort Strap (Alistrap) Roll 50
Commissioning Trolleys 79
Connectors (for Serres products) 42
Crawford Wedge 28

D

Dressing Trolley - Stainless Steel 45
Drilling Wire Dispenser 65
Drilling Wire Storage for drilling wires / Kirschner wires 65

E

Easy Catcher™ Disposable System 31
Easy Irrigation Tower 51
Easy Lock™ Blade Clamp 35
Easy Lock™ Socket 35
Easy Rack 39

F

Foam Leg Trough (covered) 28
Front Table-Famos 54
Functional Trolleys-Blanco 96

H

Handwheel Socket Clamp, Universal 36

I

Identification Tape-Key Surgical 85
Instrument Cleaning-Key Surgical 84
Instrument Protection-Key Surgical 84
Instrument Tags-Key Surgical 84
Instrument Trolley - Large Castors 75mm Twin Wheel (set of 4) 44
Instrument Trolley - Rotating Buffers (set of 4) 44
Instrument Trolley - Swivel Bowl Ring complete with bowl 44
Instrument Trolley - Twin Wheel Braking Castors (set of 4) 44
Instrument Trolley-Stainless Steel 44

J

Jackson Table Accessories - Astrus Elite Supine Top Pads 17
Jackson Table Accessories - Astrus Elite Supine Top Replacement Pads 17
Jackson Table Accessories - C-Flex Head Positioner System 17
Jackson Table Accessories - Comfort Cover Disposables 17
Jackson Table Accessories - Comfort Mask Disposables 17
Jackson Table Accessories - Contour Breast Positioner 17
Jackson Table Accessories - Easy Lock™ Socket 17
Jackson Table Accessories - Flex Frame Armboard Rail 17
Jackson Table Accessories - Jackson Supine Top Pad 17
Jackson Table Accessories - Prone Arm Support Pad 17
Jackson Table Accessories - Prone Arm Supports x 2 17
Jackson Table Accessories - Standard Wingset 17
Jackson Table Accessories-Package 17

K

Kamed BabyWarmer 7
Kanmed BabyBed 7
Kanmed Blanket Warming Cabinets 6
Kanmed Operatherm 6
Kanmed Universal Warming Cabinet 6
Kanmed WarmCloud 7
Kickabout Bowl-Stainless Steel 47
Kickabout Bucket-Stainless Steel 47

L

Lateral Braces 24
Leaded Eyewear - ES11 Wiley X® Airborne Glasses 89
Leaded Eyewear - Fitover Glasses 89
Leaded Eyewear - Phantom Clear Glasses 89
Leaded Eyewear - Tortoise Wrap Glasses 89
Leaded Eyewear - Wiley X® Airrage Glasses 89
Leaded Eyewear - Wiley X® P-17 Glasses 89
Leg and Foot Positioners 28
Lot Control Test Set, for Steam/EtO/FO Sterilizers-Famos 82
LPS Arm Support-Allen 23

M

Matrix Label Printer-Famos 54
Mayo Tables 47
MEGAprogress functional cabinet product line-Blanco 97
Modular Baskets & Accessories- PC Transparent 92
Modular Baskets & Accessories-ABS Light Blue 90
Modular cupboard trolley W 105 79
Modular Room System for OT and Intensive Care Units 98
Montreal Laminectomy Support 19
MPO2 Mobile Care and Organization Cabinets 93
Multi-Function Chair- Lojer Capre RC 13
Multi-Functional Trolley 80
Multi-Purpose Trolleys 78

N

Nissen Strap/Thigh Retractor 26

O

Oasis Arm Retainer Pad 2, 5
Oasis Armboard Pads 2, 3, 4, 5
Oasis Boot Stirrup Pad 5
Oasis Chest Rolls 2, 3
Oasis Closed Head Rings 2, 4, 5
Oasis Crutch Stirrup Pad 5
Oasis Elite Armboard Pads 2, 3, 4, 5
Oasis Elite Chest Rolls 2, 3
Oasis Elite Closed Head Rings 2, 4, 5
Oasis Elite Dome Positioner 2, 3, 4, 5
Oasis Elite Heel Pads 2, 5
Oasis Elite Knee Pad 3
Oasis Elite Large Prone Positioner 3
Oasis Elite Lateral Leg Positioner 4
Oasis Elite Lateral Positioner 4

Oasis Elite Open Head Rings 3
Oasis Elite Prone Headrest 3
Oasis Elite Prone Positioner 3
Oasis Elite Prone Positioning System 3
Oasis Elite Supine Head Rest 2, 5
Oasis Elite Table Pads 2, 3, 4, 5
Oasis Extremity Belt 2, 3, 4, 5
Oasis Face Pad 2, 5
Oasis Heel & Ankle Protector 2, 4, 5
Oasis Heel Cups 2, 5
Oasis Open Head Rings 3
Oasis Patient Positioners 2, 3,4, 5
Oasis Positioning Belt 2, 4, 5
Oasis Profile Pads 2, 3, 4, 5
Oasis Relton Frame Pads 3
Oasis Table Pads 2, 3, 4, 5
Oasis Traction Boot Pad 2
Oasis Ulnar / Brachial Protector 2, 3, 4, 5
Oasis Wilson Frame Pads 3
Olympic Vac-Pac 34
Operating Table - Scandia Lojer 12
OR Product Covers- Key Surgical 85

P

Packing Tables-Blanco 75
Patient Transfer Board 50
Perineal Post Pad 2
Personal Protection-Key Surgical 85
Pre-Cleaning Stations and Sink Units-Blanco 74
Pre-Op Glove 51

Q

QA3 (Non X-ray) - 200mm castor option 10
QA3 (Non X-ray) - Child print cotside covers 10
QA3 (Non X-ray) - Complete emergency Venturi suction system 10
QA3 (Non X-ray) - Department identification 10
QA3 (Non X-ray) - Fixed pushing handles foot end 10
QA3 (Non X-ray) - Foot end stop/monitor shelf 10
QA3 (Non X-ray) - Grey cotside covers 10
QA3 (Non X-ray) - K8 pressure care mattress 10
QA3 (Non X-ray) - Reverse Trendelenburg 10
QA3 (Non X-ray) - Spare transfusion pole fixed 10
QA3 (Non X-ray) - Spare transfusion pole removable 10
QA3 (X-ray) - 200mm castor option 11
QA3 (X-ray) - Child print cotside covers 11
QA3 (X-ray) - Complete emergency Venturi suction system 11
QA3 (X-ray) - Department identification 11
QA3 (X-ray) - Fixed pushing handles foot end 11
QA3 (X-ray) - Foot end stop/monitor shelf 11
QA3 (X-ray) - Grey cotside covers 11
QA3 (X-ray) - K8 pressure care mattress 11
QA3 (X-ray) - Reverse Trendelenburg 11
QA3 (X-ray) - Spare transfusion pole fixed 11
QA3 (X-ray) - Spare transfusion pole removable 11
QA3 (X-ray) - X-ray tray 11
QA3 (X-ray) - X-ray tray guides 11
QA3 Variable Height Patient Trolley (Non X-ray) 10
QA3 Variable Height Patient Trolley (X-ray) 11
QA4 Day Surgery Trolley Manual Functions 8
QA4 Day Surgery Trolley Powered Functions 9
QA4 Manual - Accessory Trolley 8
QA4 Manual - Accessory Trolley Spare Trough 8
QA4 Manual - Articulating Removable Leg Section 8
QA4 Manual - CD Size Cylinder Support Bracket 8
QA4 Manual - K8 Pressure Mattress Complete 8
QA4 Manual - Ophthalmic Head Support 8
QA4 Manual - Padded Cotside Covers- Grey 8
QA4 Manual - Padded Cotside Covers-Child Print 8
QA4 Manual - Removable Leg Section c/w Full Length Side Rail 8
QA4 Manual - Removable Shoulder Arthroscopy Backrest 8
QA4 Manual - Sculpted Mattress for Head Support 8
QA4 Manual - Spare Transfusion Pole 8
QA4 Powered - Articulating Removable Leg Section 9
QA4 Powered - CD Size Cylinder Support Bracket 9
QA4 Powered - K8 Pressure Mattress Complete 9
QA4 Powered - Ophthalmic Head Support 9
QA4 Powered - Padded Cotside Covers- Grey 9
QA4 Powered - Padded Cotside Covers-Child Print 9
QA4 Powered - QA4 Accessory Trolley 9
QA4 Powered - QA4 Accessory Trolley Spare Trough 9
QA4 Powered - Removable Leg Section c/w Full Length Side Rail 9
QA4 Powered - Removable Shoulder Arthroscopy Backrest 9
QA4 Powered - Sculpted Mattress for Head Support 9
QA4 Powered - Spare Powered Trolley Charging Cable 9
QA4 Powered - Spare Powered Trolley Hand Control 9
QA4 Powered - Spare Transfusion Pole 9

R

Rail Clamp 36
Rhys Davies Exsanguinators 47
Roll holders- Famos 54
Roller Front Table-Famos 54
Rotary Heat Sealer-Famos F108 Series 52
Rotary Heat Sealer-Famos F110 Series 53

S

SASCI Chemical Indicators-Famos 83
Scandia - Directional wheel system 12
Scandia - Motorised driving wheel system hand control 12
Scandia - Sliding top 300 mm, electrical 12
Scandia - Stainless steel covers 12
Sieve Tray- Accessories for System Small Parts Sieve Tray 1/3L 61
Sieve Tray- Accessories for System Small Parts Sieve Tray 1/6 59
Sieve Tray- Accessories for System Small Parts Sieve Tray 1/6XL 59
Sieve Tray- Accessories for System Small Parts Sieve Trays 1/4 60
Sieve Tray in DIN and ISO norm 66

Sieve Tray-Accessories for sieve trays in DIN and ISO norm 67
Sieve Tray-Accessories for system sieve trays SL 56
Sieve Tray-Accessories for System Small Part Tray 1/1 63
Sieve Tray-Accessories for System Small Parts Sieve Tray 1/2 62
Sieve Tray-Accessories for System Small Parts Sieve Trays 1/1 64
Sieve Tray-Accessories for System small parts sieve trays 1/8 58
Sieve Tray-Accessories for System small parts sieve trays 1/16 58
Sieve Tray-Screw-Bank 64
Sieve Tray-Screw-Tub 64
Sieve Tray-System Small Parts Sieve Tray 1/1 with dividers 63
Sieve Tray-System Small Parts Sieve Tray 1/2 62
Sieve Tray-System small parts sieve tray SET 1/16 and 1/8 58
Sieve Tray-System small parts sieve tray 1/6 with Accessories 59
Sieve Tray-System Small Parts Sieve Trays 1/4 60
Sieve Tray-Wistainer system sieve tray XL in DIN-StU-Standard 55
Sieve Tray-Wistainer system sieve tray SL in DIN-StU-standard 55
Sieve Tray-Wistainer System Small Parts Sieve Tray 1/3 61
Simple Clamp 36
Solidifying Agents Pre-Gelled- Serres 41
Special Products (for Serres products) 43
Steam Integrators-Famos 83
Steam Penetration Test Sets-Famos 82
Sterile Mesh Finger Trap - Cases 27
Sterile Mesh Finger Trap - Eaches 27
Sterile Mesh Finger Trap Disposables 27
Stirrup Cart 39
Stirrups-PAL Pediatric Stirrups - Junior PAL Stirrups 29
Stirrups-PAL Pediatric Stirrups - Little PAL Stirrups 29
Stirrups-PAL Pediatric Stirrups Package 29
Stirrups-PAL Pro® Stirrups - C/Foot Hooker Boot Pad 29
Stirrups-PAL Pro® Stirrups - without Integral Clamp 29
Stirrups-Ultrafin® Stirrups 30
Stirrups-Yellofins® Elite with Lift-Assist 33
StirrupsYellofins® Stirrups - Elite with Lift-Assist 30
StirrupsYellofins® Stirrups Boot Pad, Pair 30
Stirrups-Yellofins® Stirrups with Lift-Assist 30
Stirrups-Yellofins® Stirrups without Lift-Assist 30
Stoage Units-Blanco Tubing and abdominal cloth rack 70
Storage Solutions-Blanco 77
Storage Units- Plastic containers for use with universal holder 72
Storage Units- Blanco Shelf for urinal bottles and bed pans 72
Storage Units- Blanco Storage shelf with console 72
Storage Units- Blanco Syringe and cannula storage 71
Storage Units- Blanco Universal plastic and wire container holder 72
Storage Units- Blanco Writing desk 71
Storage Units-Blanco Glove dispenser 71
Storage Units-Blanco Hook Trolley 70
Storage Units-Blanco Mobile Assistants 69
Storage Units-Blanco Mobile Container Transport Trolley 70
Storage Units-Blanco Mobile StU Supply Tables 69
Storage Units-Blanco Multipurpose equipment rack 70
Storage Units-Blanco Multi-purpose storage 70
Storage Units-Blanco Paper Trolley 72
Storage Units-Blanco shoe rack 70
Storage Units-Blanco Stainless steel specialty container 71
Storage Units-Blanco Suture material storage 71
Storage Units-Blanco Wall Mounted Hook Rail 70
Storage-Optic trays 66
Suction Bag disposable-Serres 40
Suction Bag ready to use -Serres 40
Suction Bag System Accessories disposable-Serres 41
Suction Bag System Accessories reusable-Serres 40
Surgeon's Platform 46
Surgeon's Stools & Chairs 45

T

Table Width Extender 37
Thermo Transfer Label Printer-Famos 54
Total Knee Stabilizer with pad 26
Tourniquet - AET 48
Tourniquet - APT 48
Tourniquet - Foam Cuff Liners 49
Tourniquet Accessories 49
Tourniquet Cuff Covers 49
Traction Boot 27
Transfusion Stand 46
Transport Trolleys-Blanco 76
Tray With Perforated Metal Plate Frame 67
Trolleys for Serres canisters 41

U

Universal Clamp 36
Uro Catcher Drapes 31
Uro Catcher® System 31

V

Valves (for Serres products) 43

W

W 105 Cupboard Trolley (type I) 81
W 105 Cupboard Trolley (Type III) Plus 81
W 105 OP Cupboard Trolley (type I) 81
Wire Container, attachable 68

X

X-Ray - Gonad Shields 87
X-Ray - Thyroid Shield 87
X-Ray Apron - F111 86
X-Ray Apron - PVK 86
X-Ray Apron - VK 87
X-Ray Storage- for radiation protection clothing 88

Terms & Conditions of Sale

Trulife concludes contracts for the Sale of Products only on the following conditions;

Prices
All orders are subject to acceptance by Trulife. All prices are (unless otherwise stated) exclusive of VAT which will be charged at the rate applicable at the time of invoice, unless a valid VAT exemption certificate (available from Customer Services) accompanies the order. Whilst every effort is made to maintain prices, Trulife reserves the right to increase the prices at any time in accordance with the latest published price lists prior to despatch.

Payment
Cheques etc should be made payable to Trulife. Payment is due 30 days from date of invoice. Prepayment is required by non-account customers and private individuals.

Delivery
Goods leave our warehouses with a minimum of delay and for orders received by 3.00pm we aim to despatch stock products on the day the order is received if product is in stock. Trulife will do its best to meet delivery dates and quantities, but accepts no liability for the consequences of any delay or non-delivery.

Claims/Return of Goods
Any shortage, damage or discrepancy against shipments must be detailed by telephone or in writing together with a copy of the delivery note, to Trulife within 7 days of receipt of goods. All claims for goods lost in transit must be received by Trulife within 7 days of despatch of Trulife's invoice for such goods. Claims cannot be considered after this time.
Prior to the returning of goods, telephone authorisation must be obtained. Goods must be returned within one calendar month from the date of the delivery note. The delivery note/invoice number must be included on the return advice. The goods must be in their original packaging, in a clean, resaleable condition. Custom products are not returnable. Trulife will not be responsible for return postage and packing unless the goods are faulty or incorrectly supplied.

Risk Title
The goods agreed to be sold shall be at the risk of the customer from the time of delivery but the goods shall remain the sole and absolute property of Trulife until such time as the customer shall have paid the agreed price, together with the full price of any goods subject to any other contract with Trulife. Trulife reserves the immediate right of possession of any goods to which it has retained title, and such right shall be exercisable if the customer fails to pay any amount due to Trulife on or before the date on which it falls due or if the customer becomes unable to pay its debts as they fall due. For this purpose the customer grants to Trulife and its agents such access rights as may be required in order to recover possession of the goods. Nothing in this clause will confer any right on the customer to return the goods. Trulife may maintain an action for any amount due to Trulife by the customer notwithstanding that title to the goods may not have vested in the customer.

Product Improvement Policy
Trulife reserves the right to change specifications, packaging or withdraw products in the interests of continuing product improvements. E. & O.E.

Trulife

Trulife, 3013 Lake Drive, Citywest Business Campus, Dublin 24, Ireland

Phone: +353 1 4511755 Fax: +353 1 4660015 Email: info@trulife.com

www.trulife.com